



Fraunhofer Institut
Techno- und
Wirtschaftsmathematik

Ph. Süß, K.-H. Küfer

Smooth intensity maps and the
Bortfeld-Boyer sequencer

© Fraunhofer-Institut für Techno- und Wirtschaftsmathematik ITWM 2007

ISSN 1434-9973

Bericht 109 (2007)

Alle Rechte vorbehalten. Ohne ausdrückliche schriftliche Genehmigung des Herausgebers ist es nicht gestattet, das Buch oder Teile daraus in irgendeiner Form durch Fotokopie, Mikrofilm oder andere Verfahren zu reproduzieren oder in eine für Maschinen, insbesondere Datenverarbeitungsanlagen, verwendbare Sprache zu übertragen. Dasselbe gilt für das Recht der öffentlichen Wiedergabe.

Warennamen werden ohne Gewährleistung der freien Verwendbarkeit benutzt.

Die Veröffentlichungen in der Berichtsreihe des Fraunhofer ITWM können bezogen werden über:

Fraunhofer-Institut für Techno- und
Wirtschaftsmathematik ITWM
Fraunhofer-Platz 1

67663 Kaiserslautern
Germany

Telefon: +49 (0) 6 31/3 16 00-0
Telefax: +49 (0) 6 31/3 16 00-10 99
E-Mail: info@itwm.fraunhofer.de
Internet: www.itwm.fraunhofer.de

Vorwort

Das Tätigkeitsfeld des Fraunhofer-Instituts für Techno- und Wirtschaftsmathematik ITWM umfasst anwendungsnahe Grundlagenforschung, angewandte Forschung sowie Beratung und kundenspezifische Lösungen auf allen Gebieten, die für Techno- und Wirtschaftsmathematik bedeutsam sind.

In der Reihe »Berichte des Fraunhofer ITWM« soll die Arbeit des Instituts kontinuierlich einer interessierten Öffentlichkeit in Industrie, Wirtschaft und Wissenschaft vorgestellt werden. Durch die enge Verzahnung mit dem Fachbereich Mathematik der Universität Kaiserslautern sowie durch zahlreiche Kooperationen mit internationalen Institutionen und Hochschulen in den Bereichen Ausbildung und Forschung ist ein großes Potenzial für Forschungsberichte vorhanden. In die Berichtreihe sollen sowohl hervorragende Diplom- und Projektarbeiten und Dissertationen als auch Forschungsberichte der Institutsmitarbeiter und Institutsgäste zu aktuellen Fragen der Techno- und Wirtschaftsmathematik aufgenommen werden.

Darüber hinaus bietet die Reihe ein Forum für die Berichterstattung über die zahlreichen Kooperationsprojekte des Instituts mit Partnern aus Industrie und Wirtschaft.

Berichterstattung heißt hier Dokumentation des Transfers aktueller Ergebnisse aus mathematischer Forschungs- und Entwicklungsarbeit in industrielle Anwendungen und Softwareprodukte – und umgekehrt, denn Probleme der Praxis generieren neue interessante mathematische Fragestellungen.



Prof. Dr. Dieter Prätzel-Wolters
Institutsleiter

Kaiserslautern, im Juni 2001

Smooth intensity maps and the Bortfeld-Boyer sequencer

Philipp Süß,* Karl-Heinz Küfer

Department of Optimization
Fraunhofer Institute for Industrial Mathematics
Fraunhofer-Platz 1, 67663 Kaiserslautern, Germany

Abstract

It has been empirically verified that smoother intensity maps can be expected to produce shorter sequences when step-and-shoot collimation is the method of choice. This work studies the length of sequences obtained by the sequencing algorithm by Bortfeld and Boyer using a probabilistic approach. The results of this work build a theoretical foundation for the up to now only empirically validated fact that if smoothness of intensity maps is considered during their calculation, the solutions can be expected to be more easily applied.

*Corresponding author: *philipp.suess@itwm.fraunhofer.de*

1 Introduction

A treatment plan in intensity modulated radiotherapy treatment (IMRT) is applied by blocking parts of the beam surface for predetermined times. This is realized by multileaf collimators (MLCs). If the beam is switched off while the leaves configure a “shape” through which some radiation is emitted, then this is referred to as “step-and-shoot” delivery. The collection of all shapes and the time the beam is switched on for a shape (its “monitor unit”) is referred to as the “sequence” of a given treatment plan.

It has been empirically verified that smoother maps can be expected to produce shorter sequences. However, the absolute statement that smoother maps always result in sequences with fewer shapes is incorrect. Counterexamples exist where a higher variation does not lead to an increase in the number of shapes. Therefore, any statement about the relationship between the smoothness of a map and the length of its sequence in static collimation can only be made in terms of their expected values when a probability distribution of the intensity maps is assumed. Thus, the appropriate mathematical equivalent statement to the observed phenomena can be given by

Proposition 1.1

If the total variation of an intensity map increases, the number of shapes required to sequence it can be expected to increase as well.

The total variation of an intensity map is taken as the inverse to the measure of smoothness and given by

$$TV := \sum_{i=1}^m \sum_{j=1}^n (x_{i,j} - x_{i,j-1})^2, \quad (1)$$

where m is the number of rows in the map, and n is the number of columns. $x_{i,j}$ denotes the intensity with which beamlet (i, j) contributes to the dose. In this work, we will study the number of shapes produced by the sequencing algorithm written by Bortfeld and Boyer [1] when a certain type of intensity map is sequenced. These special intensity maps are created using a specified probabilistic method. Then, a result similar to Proposition 1.1 for the case of sequences produced by the Bortfeld algorithm is proven. In particular, we will show that by varying a parameter of the probabilistic method used to produce the intensity maps both, the expected total variation and the expected number of shapes will increase. In the discussion we point to an obvious generalization of the probabilistic method to create the intensity maps which will not alter the results of the analysis. We then conclude that the stated Proposition is true for a rather large class of intensity maps.

This work is, to our knowledge, the first attempt to construct a theoretical foundation to the afore-mentioned empirical knowledge about the tendency of correlation between smoothness and sequences.

The implications are not limited to the mathematical insight: the message that smoothing maps is beneficial to the treatment is carried implicitly and explicitly in many publications [2, 3, 4, 5, 6, 7, 8, 9]. This work supplies some theoretical justification to these undertakings.

2 Random intensity maps

To construct a random intensity map, we let each beamlet intensity $x_{i,j}$ be a random variable with value depending on its left neighbor $x_{i,j-1}$ and an added stochastic term. To this end, let a random variable $\Delta_{i,j} \in \{-1, 0, 1\}$ be distributed as follows. p is a parameter between 0 and 1.

$$\Delta_{i,j} = \begin{cases} -1 & \text{with probability } \frac{1-p}{2} \\ 0 & \text{with probability } p \\ 1 & \text{with probability } \frac{1-p}{2} \end{cases} \quad (2)$$

We will then let each beamlet intensity be given by $x_{i,j} = x_{i,j-1} + c\Delta_{i,j}$, where c is a positive constant. *RandomIntMap* defined in Algorithm 2.1 formalizes this procedure. To ensure non-negativity, $x_{i,0} := nc$ for every row i . Taking the

Algorithm 2.1 Method to create random intensity maps

Procedure: *RandomIntMap*

Input: Constant c , a stream of random variables $\Delta_{1,1}, \dots, \Delta_{m,n}$ identically and independently distributed with probability mass function (2)

Output: Intensity map \mathbf{x}

```

1:  for row  $i = 1$  to  $m$  do
    Let  $x_{i,0} := nc$ 
    for column  $j = 1$  to  $n$  do
        Let  $x_{i,j} := x_{i,j-1} + c\Delta_{i,j}$ 
5:  next  $j$ 
    next  $i$ 

```

expectation of the total variation TV (1), we have

$$E(TV) = E\left(\sum_{i=1}^m \sum_{j=1}^n (x_{i,j} - x_{i,j-1})^2\right) = \sum_{i=1}^m \sum_{j=1}^n E(x_{i,j} - x_{i,j-1})^2.$$

The expected value of the squared level jump is given by

$$E(x_{i,j} - x_{i,j-1})^2 = E(x_{i,j-1} + c\Delta_{i,j} - x_{i,j-1})^2 = E(c\Delta_{i,j})^2 = c^2 E(\Delta_{i,j}^2),$$

and the expected value of $\Delta_{i,j}^2$ is given by

$$E(\Delta_{i,j}^2) = (-1)^2 \frac{1-p}{2} + (0)^2 p + (1)^2 \frac{1-p}{2} = 1-p.$$

The expected total variation is then given by

$$E(TV) = mnc^2(1-p),$$

and is linear in the probability that the level jump is not zero. This parameter $q := 1 - p$ can be thought of as our “control” for the smoothness of the maps we produce.

3 Number of shapes in Bortfeld sequences

The sequencing algorithm given by Bortfeld and Boyer [1] was the first that resulted in sequences with provably optimal beam-on time (total number of monitor units). The number of shapes resulting from an application of this sequencer can approximately be given by

$$NS(\text{Bortfeld}) \approx \max_{i=1,\dots,m} SPG_i = \max_{i=1,\dots,m} \sum_{j=1}^n \max(0, x_{i,j} - x_{i,j-1}),$$

where SPG_i stands for the “sum of positive gradients” in row i . This is the number of iterations the algorithm will perform, and in each iteration a shape with monitor unit 1 is created. The actual number of shapes will be slightly less since different iterations may produce the same shapes. However, this is very unlikely if the intensities are continuous variables and we neglect this fact for the remainder of this work.

Next we determine the expected value of maximum sum of positive gradients in terms of $q = 1 - p$. Denote by $SPG_{(m)}$ the maximum sum of positive gradients over m rows of the intensity map:

$$SPG_{(m)} := \max_{i=1,\dots,m} SPG_i.$$

Further denote by L the maximum intensity value in \mathbf{x} : $L := \max_{i,j} x_{i,j}$. Note that the maximum sum of positive gradients in one row is bounded by $\hat{n} := \frac{nL}{2}$. Then

$$\begin{aligned} E(NS(\text{Bortfeld})) &\approx E(SP_{(m)}) = \sum_{t=0}^{\hat{n}} t \Pr(SP_{(m)} = t) \\ &= \sum_{t=1}^{\hat{n}} t \left(\Pr(SP_{(m)} \leq t) - \Pr(SP_{(m)} \leq t-1) \right) \\ &= \hat{n} \Pr(SP_{(m)} \leq \hat{n}) - \sum_{t=0}^{\hat{n}-1} \Pr(SP_{(m)} \leq t) \\ &= \hat{n} - \sum_{t=0}^{\hat{n}-1} \left(\Pr(SP_{(m)} \leq t) \right)^m, \end{aligned}$$

where SPG_i is treated as a random variable.

Now we are interested in the rate of change of $E(SP G_{(m)})$ with respect to $q := 1-p$. If it can be shown to be positive for all $0 \leq q \leq 1$, then a positive relationship between the variation and the length of Bortfeld sequences would be established. Let us first study the distribution of SPG_i . That is, we would like to calculate

$$\Pr(SP G_i \leq t) = \Pr\left(\sum_{j=1}^n \max(0, x_{i,j} - x_{i,j-1}) \leq t\right).$$

Expressing SPG_i a little differently, we obtain

$$\begin{aligned} SPG_i &= \sum_{j=1}^n \chi(x_{i,j} > x_{i,j-1}) (x_{i,j} - x_{i,j-1}) \\ &= \sum_{j=1}^n \chi(x_{i,j} > x_{i,j-1}) c \Delta_{ij}, \end{aligned}$$

where $\chi(A)$ represents the characteristic function of event A . Thus, we obtain

$$\Pr(SP G_i \leq t) = \Pr\left(\sum_{j=1}^n \Delta_{ij} \chi(x_{i,j} > x_{i,j-1}) \leq \left\lfloor \frac{t}{c} \right\rfloor\right) =: \Pr(P_i \leq \hat{t}),$$

where P_i is the number of positive level jumps in row i , and $\hat{t} := \lfloor \frac{t}{c} \rfloor$.

Note that by (2), the random figure P_i is a binomial random variable with distribution parameters $(n, \frac{1-p}{2})$. Thus,

$$\Pr(SP G_i \leq t) = \Pr(P_i \leq \hat{t}) = \sum_{u=0}^{\hat{t}} \binom{n}{u} \left(\frac{1-p}{2}\right)^u \left(\frac{1+p}{2}\right)^{n-u}$$

Differentiating now $E(SP G_{(m)})$ with respect to q gives

$$c(q) := \frac{\partial E(SP G_{(m)})}{\partial q} = -m \sum_{t=0}^{\hat{n}-1} \left(\Pr(SP G_i \leq t)\right)^{m-1} d(t, q),$$

where

$$\begin{aligned} d(t, q) &= \sum_{u=0}^{\hat{t}} \binom{n}{u} \left(\frac{u}{2} \left(\frac{q}{2}\right)^{u-1} \left(\frac{2-q}{2}\right)^{n-u} - \frac{n-u}{2} \left(\frac{q}{2}\right)^u \left(\frac{2-q}{2}\right)^{n-u-1}\right) \\ &= \sum_{u=0}^{\hat{t}} \binom{n}{u} \left(\frac{q}{2}\right)^u \left(\frac{2-q}{2}\right)^{n-u} \left(\frac{u}{q} - \frac{n-u}{2-q}\right) \\ &= \frac{1}{q(2-q)} \sum_{u=0}^{\hat{t}} (2u - nq) \Pr(P_i = u). \end{aligned}$$

Let now

$$v := \frac{q}{2-q}, \quad 0 < v < 1. \quad (3)$$

Then

$$c(q) = -\frac{m(1+v)^2}{2v} \sum_{t=0}^{\hat{n}-1} \left[\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \left(\frac{1}{1+v} \right)^n \right)^{m-1} \cdot \left(\sum_{u=0}^{\hat{t}} \binom{n}{u} uv^u \left(\frac{1}{1+v} \right)^n - \frac{nv}{1+v} \sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \left(\frac{1}{1+v} \right)^n \right) \right]. \quad (4)$$

Taking the terms $(1+v)^{-1}$ out of the summations, we get

$$c(q) = -\frac{m}{2v(1+v)^{mn-2}} \sum_{t=0}^{\hat{n}-1} \left[\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right)^{m-1} \cdot \left(\sum_{u=0}^{\hat{t}} \binom{n}{u} uv^u - \frac{nv}{1+v} \sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right) \right]. \quad (5)$$

Simplifying once by taking out the v in the denominator of the first fraction, we obtain the following difference in the last bracket

$$\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} uv^{u-1} - \frac{n}{1+v} \sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right) \quad (6)$$

Now note that

$$\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u = (1+v)^n - \sum_{u=\hat{t}+1}^n \binom{n}{u} v^u,$$

and

$$\sum_{u=0}^{\hat{t}} \binom{n}{u} uv^{u-1} = \frac{\partial}{\partial v} \sum_{u=0}^{\hat{t}} \binom{n}{u} v^u.$$

This implies

$$c(q) = -\frac{m}{2(1+v)^{mn-2}} \sum_{t=0}^{\hat{n}-1} \left[\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right)^{m-1} \cdot \left(n(1+v)^{n-1} - \sum_{u=\hat{t}+1}^n \binom{n}{u} uv^{u-1} - n(1+v)^{n-1} + \sum_{u=\hat{t}+1}^n \binom{n}{u} v^u \right) \right]. \quad (7)$$

And this finally simplifies to

$$c(q) = -\frac{m}{2(1+v)^{mn-2}} \sum_{t=0}^{\hat{n}-1} \left[\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right)^{m-1} \sum_{u=\hat{t}+1}^n \binom{n}{u} v^{u-1} (v-u) \right]. \quad (8)$$

Now let us look at the terms involved:

$$\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right)^{m-1} > 0 \quad (9)$$

$$\sum_{u=\hat{t}+1}^n \binom{n}{u} v^{u-1} (v-u) < 0 \quad (10)$$

$$\text{thus } \sum_{t=0}^{\hat{n}-1} \left[\left(\sum_{u=0}^{\hat{t}} \binom{n}{u} v^u \right)^{m-1} \sum_{u=\hat{t}+1}^n \binom{n}{u} v^{u-1} (v-u) \right] < 0 \quad (11)$$

for all possible choices of t and q . And, because $-\frac{m}{2(1+v)^{mn-2}} < 0$, we arrive at the conclusion that $c(q) > 0$.

In other words, the Bortfeld sequencing algorithm produces sequences in probably increasing lengths as the intensity maps from the random method become less smooth.

4 Discussion

The main result from this work is that for the type of intensity map created by *RandomIntMap*, the Bortfeld sequences increase with total variation. Notice that the crucial point in the argumentation was the fact that *RandomIntMap* produces level jumps that are binomially distributed - just like a series of coin flips to decide whether the jump goes up or not. That is, the magnitude of the jumps, c remains in the calculations, but has less impact on the validity of the result.

Imagine a modified randomized method that creates level jumps according to (2) but distributes the magnitudes of the jumps randomly. It is easy to see, that if the jumps are not too small, the variation (1) of the intensity maps increases. It is also relatively easy to imagine that SPG will increase as a result of sufficient variation introduced by differing level jump magnitudes c_{ij} . In other words, the main result that sequences will increase with increasing variation will hold even for the generalized random intensity map creation.

This argument shows that Proposition 1.1 holds for a large class of intensity maps.

References

- [1] T Bortfeld, D Kahler, T Waldron, and A Boyer. X-ray field compensation with multileaf collimators. *International Journal of Radiation Oncology*Biology*Physics*, 28:723–730, 1994.
- [2] A Chvetsov, D Calvetti, J Sohn, and T Kinsella. Regularization of inverse planning for intensity-modulated radiotherapy. *Medical Physics*, 32(2):501–514, 2005.

- [3] D Craft, P Süß, and T Bortfeld. The tradeoff between treatment plan quality and intensity field complexity in IMRT. *To appear in International Journal of Radiation Oncology*Biology*Physics*, 2007.
- [4] J Llacer, N Agazaryan, T Solberg, and C Promberger. Degeneracy, frequency response and filtering in IMRT optimization. *Physic and Medicine in Biology*, 49:2853–2880, 2004.
- [5] R Mohan, M Arnfield, S Ton, Q Wu, and J Siebers. The impact of fluctuations in intensity patterns on the number of monitor units and the quality and accuracy of intensity modulated radiotherapy. *Medical Physics*, 27(6):1226–1237, 2000.
- [6] S Spirou, N Fournier-Bidoz, J Yang, CS Chui, and C Ling. Smoothing intensity-modulated beam profiles to improve the efficiency of delivery. *Medical Physics*, 28(10):2105–2112, 2000.
- [7] X Sun and P Xia. A new smoothing procedure to reduce delivery segments for static MLC-based IMRT planning. *Medical Physics*, 31(5):1158–1165, 2004.
- [8] S Webb. A simple method to control aspects of fluence modulation in IMRT planning. *Physics in Medicine and Biology*, 46:N187–N195, 2001.
- [9] S Webb, D Convery, and P Evans. Inverse planning with constraints to generate smoothed intensity-modulated beams. *Physics in Medicine and Biology*, 43:2785–2794, 1998.

Published reports of the Fraunhofer ITWM

The PDF-files of the following reports are available under:

www.itwm.fraunhofer.de/de/zentral__berichte/berichte

1. D. Hietel, K. Steiner, J. Struckmeier
A Finite - Volume Particle Method for Compressible Flows
(19 pages, 1998)
2. M. Feldmann, S. Seibold
Damage Diagnosis of Rotors: Application of Hilbert Transform and Multi-Hypothesis Testing
Keywords: Hilbert transform, damage diagnosis, Kalman filtering, non-linear dynamics
(23 pages, 1998)
3. Y. Ben-Haim, S. Seibold
Robust Reliability of Diagnostic Multi-Hypothesis Algorithms: Application to Rotating Machinery
Keywords: Robust reliability, convex models, Kalman filtering, multi-hypothesis diagnosis, rotating machinery, crack diagnosis
(24 pages, 1998)
4. F.-Th. Lentjes, N. Siedow
Three-dimensional Radiative Heat Transfer in Glass Cooling Processes
(23 pages, 1998)
5. A. Klar, R. Wegener
A hierarchy of models for multilane vehicular traffic
Part I: Modeling
(23 pages, 1998)

Part II: Numerical and stochastic investigations
(17 pages, 1998)
6. A. Klar, N. Siedow
Boundary Layers and Domain Decomposition for Radiative Heat Transfer and Diffusion Equations: Applications to Glass Manufacturing Processes
(24 pages, 1998)
7. I. Choquet
Heterogeneous catalysis modelling and numerical simulation in rarified gas flows
Part I: Coverage locally at equilibrium
(24 pages, 1998)
8. J. Ohser, B. Steinbach, C. Lang
Efficient Texture Analysis of Binary Images
(17 pages, 1998)
9. J. Orlik
Homogenization for viscoelasticity of the integral type with aging and shrinkage
(20 pages, 1998)
10. J. Mohring
Helmholtz Resonators with Large Aperture
(21 pages, 1998)
11. H. W. Hamacher, A. Schöbel
On Center Cycles in Grid Graphs
(15 pages, 1998)
12. H. W. Hamacher, K.-H. Küfer
Inverse radiation therapy planning - a multiple objective optimisation approach
(14 pages, 1999)
13. C. Lang, J. Ohser, R. Hilfer
On the Analysis of Spatial Binary Images
(20 pages, 1999)
14. M. Junk
On the Construction of Discrete Equilibrium Distributions for Kinetic Schemes
(24 pages, 1999)
15. M. Junk, S. V. Raghurame Rao
A new discrete velocity method for Navier-Stokes equations
(20 pages, 1999)
16. H. Neunzert
Mathematics as a Key to Key Technologies
(39 pages (4 PDF-Files), 1999)
17. J. Ohser, K. Sandau
Considerations about the Estimation of the Size Distribution in Wicksell's Corpuscle Problem
(18 pages, 1999)
18. E. Carrizosa, H. W. Hamacher, R. Klein, S. Nickel
Solving nonconvex planar location problems by finite dominating sets
Keywords: Continuous Location, Polyhedral Gauges, Finite Dominating Sets, Approximation, Sandwich Algorithm, Greedy Algorithm
(19 pages, 2000)
19. A. Becker
A Review on Image Distortion Measures
Keywords: Distortion measure, human visual system
(26 pages, 2000)
20. H. W. Hamacher, M. Labbé, S. Nickel, T. Sonneborn
Polyhedral Properties of the Uncapacitated Multiple Allocation Hub Location Problem
Keywords: integer programming, hub location, facility location, valid inequalities, facets, branch and cut
(21 pages, 2000)
21. H. W. Hamacher, A. Schöbel
Design of Zone Tariff Systems in Public Transportation
(30 pages, 2001)
22. D. Hietel, M. Junk, R. Keck, D. Teleaga
The Finite-Volume-Particle Method for Conservation Laws
(16 pages, 2001)
23. T. Bender, H. Hennes, J. Kalcsics, M. T. Melo, S. Nickel
Location Software and Interface with GIS and Supply Chain Management
Keywords: facility location, software development, geographical information systems, supply chain management
(48 pages, 2001)
24. H. W. Hamacher, S. A. Tjandra
Mathematical Modelling of Evacuation Problems: A State of Art
(44 pages, 2001)
25. J. Kuhnert, S. Tiwari
Grid free method for solving the Poisson equation
Keywords: Poisson equation, Least squares method, Grid free method
(19 pages, 2001)
26. T. Götz, H. Rave, D. Reinel-Bitzer, K. Steiner, H. Tiemeier
Simulation of the fiber spinning process
Keywords: Melt spinning, fiber model, Lattice Boltzmann, CFD
(19 pages, 2001)
27. A. Zemitis
On interaction of a liquid film with an obstacle
Keywords: impinging jets, liquid film, models, numerical solution, shape
(22 pages, 2001)
28. I. Ginzburg, K. Steiner
Free surface lattice-Boltzmann method to model the filling of expanding cavities by Bingham Fluids
Keywords: Generalized LBE, free-surface phenomena, interface boundary conditions, filling processes, Bingham viscoplastic model, regularized models
(22 pages, 2001)
29. H. Neunzert
»Denn nichts ist für den Menschen als Menschen etwas wert, was er nicht mit Leidenschaft tun kann«
Vortrag anlässlich der Verleihung des Akademiepreises des Landes Rheinland-Pfalz am 21.11.2001
Keywords: Lehre, Forschung, angewandte Mathematik, Mehrskalalanalyse, Strömungsmechanik
(18 pages, 2001)
30. J. Kuhnert, S. Tiwari
Finite pointset method based on the projection method for simulations of the incompressible Navier-Stokes equations
Keywords: Incompressible Navier-Stokes equations, Meshfree method, Projection method, Particle scheme, Least squares approximation
AMS subject classification: 76D05, 76M28
(25 pages, 2001)
31. R. Korn, M. Krekel
Optimal Portfolios with Fixed Consumption or Income Streams
Keywords: Portfolio optimisation, stochastic control, HJB equation, discretisation of control problems.
(23 pages, 2002)
32. M. Krekel
Optimal portfolios with a loan dependent credit spread
Keywords: Portfolio optimisation, stochastic control, HJB equation, credit spread, log utility, power utility, non-linear wealth dynamics
(25 pages, 2002)
33. J. Ohser, W. Nagel, K. Schladitz
The Euler number of discretized sets – on the choice of adjacency in homogeneous lattices
Keywords: image analysis, Euler number, neighborhood relationships, cuboidal lattice
(32 pages, 2002)

34. I. Ginzburg, K. Steiner
Lattice Boltzmann Model for Free-Surface flow and Its Application to Filling Process in Casting
Keywords: Lattice Boltzmann models; free-surface phenomena; interface boundary conditions; filling processes; injection molding; volume of fluid method; interface boundary conditions; advection-schemes; up-wind-schemes (54 pages, 2002)
35. M. Günther, A. Klar, T. Materne, R. Wegener
Multivalued fundamental diagrams and stop and go waves for continuum traffic equations
Keywords: traffic flow, macroscopic equations, kinetic derivation, multivalued fundamental diagram, stop and go waves, phase transitions (25 pages, 2002)
36. S. Feldmann, P. Lang, D. Prätzel-Wolters
Parameter influence on the zeros of network determinants
Keywords: Networks, Equicofactor matrix polynomials, Realization theory, Matrix perturbation theory (30 pages, 2002)
37. K. Koch, J. Ohser, K. Schladitz
Spectral theory for random closed sets and estimating the covariance via frequency space
Keywords: Random set, Bartlett spectrum, fast Fourier transform, power spectrum (28 pages, 2002)
38. D. d'Humières, I. Ginzburg
Multi-reflection boundary conditions for lattice Boltzmann models
Keywords: lattice Boltzmann equation, boundary conditions, bounce-back rule, Navier-Stokes equation (72 pages, 2002)
39. R. Korn
Elementare Finanzmathematik
Keywords: Finanzmathematik, Aktien, Optionen, Portfolio-Optimierung, Börse, Lehrerweiterbildung, Mathematikunterricht (98 pages, 2002)
40. J. Kallrath, M. C. Müller, S. Nickel
Batch Presorting Problems: Models and Complexity Results
Keywords: Complexity theory, Integer programming, Assignment, Logistics (19 pages, 2002)
41. J. Linn
On the frame-invariant description of the phase space of the Folgar-Tucker equation
Key words: fiber orientation, Folgar-Tucker equation, injection molding (5 pages, 2003)
42. T. Hanne, S. Nickel
A Multi-Objective Evolutionary Algorithm for Scheduling and Inspection Planning in Software Development Projects
Key words: multiple objective programming, project management and scheduling, software development, evolutionary algorithms, efficient set (29 pages, 2003)
43. T. Bortfeld, K.-H. Küfer, M. Monz, A. Scherrer, C. Thieke, H. Trinkaus
Intensity-Modulated Radiotherapy - A Large Scale Multi-Criteria Programming Problem
Keywords: multiple criteria optimization, representative systems of Pareto solutions, adaptive triangulation, clustering and disaggregation techniques, visualization of Pareto solutions, medical physics, external beam radiotherapy planning, intensity modulated radiotherapy (31 pages, 2003)
44. T. Halfmann, T. Wichmann
Overview of Symbolic Methods in Industrial Analog Circuit Design
Keywords: CAD, automated analog circuit design, symbolic analysis, computer algebra, behavioral modeling, system simulation, circuit sizing, macro modeling, differential-algebraic equations, index (17 pages, 2003)
45. S. E. Mikhailov, J. Orlik
Asymptotic Homogenisation in Strength and Fatigue Durability Analysis of Composites
Keywords: multiscale structures, asymptotic homogenization, strength, fatigue, singularity, non-local conditions (14 pages, 2003)
46. P. Domínguez-Marín, P. Hansen, N. Mladenović, S. Nickel
Heuristic Procedures for Solving the Discrete Ordered Median Problem
Keywords: genetic algorithms, variable neighborhood search, discrete facility location (31 pages, 2003)
47. N. Boland, P. Domínguez-Marín, S. Nickel, J. Puerto
Exact Procedures for Solving the Discrete Ordered Median Problem
Keywords: discrete location, Integer programming (41 pages, 2003)
48. S. Feldmann, P. Lang
Padé-like reduction of stable discrete linear systems preserving their stability
Keywords: Discrete linear systems, model reduction, stability, Hankel matrix, Stein equation (16 pages, 2003)
49. J. Kallrath, S. Nickel
A Polynomial Case of the Batch Presorting Problem
Keywords: batch presorting problem, online optimization, competitive analysis, polynomial algorithms, logistics (17 pages, 2003)
50. T. Hanne, H. L. Trinkaus
knowCube for MCDM – Visual and Interactive Support for Multicriteria Decision Making
Key words: Multicriteria decision making, knowledge management, decision support systems, visual interfaces, interactive navigation, real-life applications. (26 pages, 2003)
51. O. Iliev, V. Laptev
On Numerical Simulation of Flow Through Oil Filters
Keywords: oil filters, coupled flow in plain and porous media, Navier-Stokes, Brinkman, numerical simulation (8 pages, 2003)
52. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On a Multigrid Adaptive Refinement Solver for Saturated Non-Newtonian Flow in Porous Media
Keywords: Nonlinear multigrid, adaptive refinement, Heston model, stochastic volatility, cliquet options (17 pages, 2003)
53. S. Kruse
On the Pricing of Forward Starting Options under Stochastic Volatility
Keywords: Option pricing, forward starting options, Heston model, stochastic volatility, cliquet options (11 pages, 2003)
54. O. Iliev, D. Stoyanov
Multigrid – adaptive local refinement solver for incompressible flows
Keywords: Navier-Stokes equations, incompressible flow, projection-type splitting, SIMPLE, multigrid methods, adaptive local refinement, lid-driven flow in a cavity (37 pages, 2003)
55. V. Starikovicius
The multiphase flow and heat transfer in porous media
Keywords: Two-phase flow in porous media, various formulations, global pressure, multiphase mixture model, numerical simulation (30 pages, 2003)
56. P. Lang, A. Sarishvili, A. Wirsén
Blocked neural networks for knowledge extraction in the software development process
Keywords: Blocked Neural Networks, Nonlinear Regression, Knowledge Extraction, Code Inspection (21 pages, 2003)
57. H. Knaf, P. Lang, S. Zeiser
Diagnosis aiding in Regulation Thermography using Fuzzy Logic
Keywords: fuzzy logic, knowledge representation, expert system (22 pages, 2003)
58. M. T. Melo, S. Nickel, F. Saldanha da Gama
Largescale models for dynamic multi-commodity capacitated facility location
Keywords: supply chain management, strategic planning, dynamic location, modeling (40 pages, 2003)
59. J. Orlik
Homogenization for contact problems with periodically rough surfaces
Keywords: asymptotic homogenization, contact problems (28 pages, 2004)
60. A. Scherrer, K.-H. Küfer, M. Monz, F. Alonso, T. Bortfeld
IMRT planning on adaptive volume structures – a significant advance of computational complexity
Keywords: Intensity-modulated radiation therapy (IMRT), inverse treatment planning, adaptive volume structures, hierarchical clustering, local refinement, adaptive clustering, convex programming, mesh generation, multi-grid methods (24 pages, 2004)

61. D. Kehrwald
Parallel lattice Boltzmann simulation of complex flows
Keywords: Lattice Boltzmann methods, parallel computing, microstructure simulation, virtual material design, pseudo-plastic fluids, liquid composite moulding (12 pages, 2004)
62. O. Iliev, J. Linn, M. Moog, D. Niedziela, V. Starikovicus
On the Performance of Certain Iterative Solvers for Coupled Systems Arising in Discretization of Non-Newtonian Flow Equations
Keywords: Performance of iterative solvers, Preconditioners, Non-Newtonian flow (17 pages, 2004)
63. R. Ciegis, O. Iliev, S. Rief, K. Steiner
On Modelling and Simulation of Different Regimes for Liquid Polymer Moulding
Keywords: Liquid Polymer Moulding, Modelling, Simulation, Infiltration, Front Propagation, non-Newtonian flow in porous media (43 pages, 2004)
64. T. Hanne, H. Neu
Simulating Human Resources in Software Development Processes
Keywords: Human resource modeling, software process, productivity, human factors, learning curve (14 pages, 2004)
65. O. Iliev, A. Mikelic, P. Popov
Fluid structure interaction problems in deformable porous media: Toward permeability of deformable porous media
Keywords: fluid-structure interaction, deformable porous media, upscaling, linear elasticity, stokes, finite elements (28 pages, 2004)
66. F. Gaspar, O. Iliev, F. Lisbona, A. Naumovich, P. Vabishchevich
On numerical solution of 1-D poroelasticity equations in a multilayered domain
Keywords: poroelasticity, multilayered material, finite volume discretization, MAC type grid (41 pages, 2004)
67. J. Ohser, K. Schladitz, K. Koch, M. Nöthe
Diffraction by image processing and its application in materials science
Keywords: porous microstructure, image analysis, random set, fast Fourier transform, power spectrum, Bartlett spectrum (13 pages, 2004)
68. H. Neunzert
Mathematics as a Technology: Challenges for the next 10 Years
Keywords: applied mathematics, technology, modelling, simulation, visualization, optimization, glass processing, spinning processes, fiber-fluid interaction, turbulence effects, topological optimization, multicriteria optimization, Uncertainty and Risk, financial mathematics, Malliavin calculus, Monte-Carlo methods, virtual material design, filtration, bio-informatics, system biology (29 pages, 2004)
69. R. Ewing, O. Iliev, R. Lazarov, A. Naumovich
On convergence of certain finite difference discretizations for 1D poroelasticity interface problems
Keywords: poroelasticity, multilayered material, finite volume discretizations, MAC type grid, error estimates (26 pages, 2004)
70. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On Efficient Simulation of Non-Newtonian Flow in Saturated Porous Media with a Multigrid Adaptive Refinement Solver
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian in porous media (25 pages, 2004)
71. J. Kalcsics, S. Nickel, M. Schröder
Towards a Unified Territory Design Approach – Applications, Algorithms and GIS Integration
Keywords: territory design, political districting, sales territory alignment, optimization algorithms, Geographical Information Systems (40 pages, 2005)
72. K. Schladitz, S. Peters, D. Reinel-Bitzer, A. Wiegmann, J. Ohser
Design of acoustic trim based on geometric modeling and flow simulation for non-woven
Keywords: random system of fibers, Poisson line process, flow resistivity, acoustic absorption, Lattice-Boltzmann method, non-woven (21 pages, 2005)
73. V. Rutka, A. Wiegmann
Explicit Jump Immersed Interface Method for virtual material design of the effective elastic moduli of composite materials
Keywords: virtual material design, explicit jump immersed interface method, effective elastic moduli, composite materials (22 pages, 2005)
74. T. Hanne
Eine Übersicht zum Scheduling von Baustellen
Keywords: Projektplanung, Scheduling, Bauplanung, Bauindustrie (32 pages, 2005)
75. J. Linn
The Folgar-Tucker Model as a Differential Algebraic System for Fiber Orientation Calculation
Keywords: fiber orientation, Folgar-Tucker model, invariants, algebraic constraints, phase space, trace stability (15 pages, 2005)
76. M. Speckert, K. Dreßler, H. Mauch, A. Lion, G. J. Wierda
Simulation eines neuartigen Prüfsystems für Achserprobungen durch MKS-Modellierung einschließlich Regelung
Keywords: virtual test rig, suspension testing, multi-body simulation, modeling hexapod test rig, optimization of test rig configuration (20 pages, 2005)
77. K.-H. Küfer, M. Monz, A. Scherrer, P. Süß, F. Alonso, A. S. A. Sultan, Th. Bortfeld, D. Craft, Chr. Thieke
Multicriteria optimization in intensity modulated radiotherapy planning
Keywords: multicriteria optimization, extreme solutions, real-time decision making, adaptive approximation schemes, clustering methods, IMRT planning, reverse engineering (51 pages, 2005)
78. S. Amstutz, H. Andrä
A new algorithm for topology optimization using a level-set method
Keywords: shape optimization, topology optimization, topological sensitivity, level-set (22 pages, 2005)
79. N. Ettrich
Generation of surface elevation models for urban drainage simulation
Keywords: Flooding, simulation, urban elevation models, laser scanning (22 pages, 2005)
80. H. Andrä, J. Linn, I. Matei, I. Shklyar, K. Steiner, E. Teichmann
OPTCAST – Entwicklung adäquater Strukturoptimierungsverfahren für Gießereien Technischer Bericht (KURZFASSUNG)
Keywords: Topologieoptimierung, Level-Set-Methode, Gießprozesssimulation, Gießtechnische Restriktionen, CAE-Kette zur Strukturoptimierung (77 pages, 2005)
81. N. Marheineke, R. Wegener
Fiber Dynamics in Turbulent Flows Part I: General Modeling Framework
Keywords: fiber-fluid interaction; Cosserat rod; turbulence modeling; Kolmogorov's energy spectrum; double-velocity correlations; differentiable Gaussian fields (20 pages, 2005)
Part II: Specific Taylor Drag
Keywords: flexible fibers; $k-\epsilon$ turbulence model; fiber-turbulence interaction scales; air drag; random Gaussian aerodynamic force; white noise; stochastic differential equations; ARMA process (18 pages, 2005)
82. C. H. Lampert, O. Wirjadi
An Optimal Non-Orthogonal Separation of the Anisotropic Gaussian Convolution Filter
Keywords: Anisotropic Gaussian filter, linear filtering, orientation space, nD image processing, separable filters (25 pages, 2005)
83. H. Andrä, D. Stoyanov
Error indicators in the parallel finite element solver for linear elasticity DDFEM
Keywords: linear elasticity, finite element method, hierarchical shape functions, domain decomposition, parallel implementation, a posteriori error estimates (21 pages, 2006)
84. M. Schröder, I. Solchenbach
Optimization of Transfer Quality in Regional Public Transit
Keywords: public transit, transfer quality, quadratic assignment problem (16 pages, 2006)
85. A. Naumovich, F. J. Gaspar
On a multigrid solver for the three-dimensional Biot poroelasticity system in multilayered domains
Keywords: poroelasticity, interface problem, multigrid, operator-dependent prolongation (11 pages, 2006)
86. S. Panda, R. Wegener, N. Marheineke
Slender Body Theory for the Dynamics of Curved Viscous Fibers
Keywords: curved viscous fibers; fluid dynamics; Navier-Stokes equations; free boundary value problem; asymptotic expansions; slender body theory (14 pages, 2006)
87. E. Ivanov, H. Andrä, A. Kudryavtsev
Domain Decomposition Approach for Automatic Parallel Generation of Tetrahedral Grids
Keywords: Grid Generation, Unstructured Grid, Delaunay Triangulation, Parallel Programming, Domain Decomposition, Load Balancing (18 pages, 2006)

88. S. Tiwari, S. Antonov, D. Hietel, J. Kuhnert, R. Wegener
A Meshfree Method for Simulations of Interactions between Fluids and Flexible Structures
 Key words: Meshfree Method, FPM, Fluid Structure Interaction, Sheet of Paper, Dynamical Coupling (16 pages, 2006)
89. R. Ciegis, O. Iliev, V. Starikovicius, K. Steiner
Numerical Algorithms for Solving Problems of Multiphase Flows in Porous Media
 Keywords: nonlinear algorithms, finite-volume method, software tools, porous media, flows (16 pages, 2006)
90. D. Niedziela, O. Iliev, A. Latz
On 3D Numerical Simulations of Viscoelastic Fluids
 Keywords: non-Newtonian fluids, anisotropic viscosity, integral constitutive equation (18 pages, 2006)
91. A. Winterfeld
Application of general semi-infinite Programming to Lapidary Cutting Problems
 Keywords: large scale optimization, nonlinear programming, general semi-infinite optimization, design centering, clustering (26 pages, 2006)
92. J. Orlik, A. Ostrovska
Space-Time Finite Element Approximation and Numerical Solution of Hereditary Linear Viscoelasticity Problems
 Keywords: hereditary viscoelasticity; kern approximation by interpolation; space-time finite element approximation, stability and a priori estimate (24 pages, 2006)
93. V. Rutka, A. Wiegmann, H. Andrä
EJIM for Calculation of effective Elastic Moduli in 3D Linear Elasticity
 Keywords: Elliptic PDE, linear elasticity, irregular domain, finite differences, fast solvers, effective elastic moduli (24 pages, 2006)
94. A. Wiegmann, A. Zemitis
EJ-HEAT: A Fast Explicit Jump Harmonic Averaging Solver for the Effective Heat Conductivity of Composite Materials
 Keywords: Stationary heat equation, effective thermal conductivity, explicit jump, discontinuous coefficients, virtual material design, microstructure simulation, EJ-HEAT (21 pages, 2006)
95. A. Naumovich
On a finite volume discretization of the three-dimensional Biot poroelasticity system in multilayered domains
 Keywords: Biot poroelasticity system, interface problems, finite volume discretization, finite difference method. (21 pages, 2006)
96. M. Krekel, J. Wenzel
A unified approach to Credit Default Swaption and Constant Maturity Credit Default Swap valuation
 Keywords: LIBOR market model, credit risk, Credit Default Swaption, Constant Maturity Credit Default Swap-method. (43 pages, 2006)
97. A. Dreyer
Interval Methods for Analog Circuits
 Keywords: interval arithmetic, analog circuits, tolerance analysis, parametric linear systems, frequency response, symbolic analysis, CAD, computer algebra (36 pages, 2006)
98. N. Weigel, S. Weihe, G. Bitsch, K. Dreßler
Usage of Simulation for Design and Optimization of Testing
 Keywords: Vehicle test rigs, MBS, control, hydraulics, testing philosophy (14 pages, 2006)
99. H. Lang, G. Bitsch, K. Dreßler, M. Speckert
Comparison of the solutions of the elastic and elastoplastic boundary value problems
 Keywords: Elastic BVP, elastoplastic BVP, variational inequalities, rate-independency, hysteresis, linear kinematic hardening, stop- and play-operator (21 pages, 2006)
100. M. Speckert, K. Dreßler, H. Mauch
MBS Simulation of a hexapod based suspension test rig
 Keywords: Test rig, MBS simulation, suspension, hydraulics, controlling, design optimization (12 pages, 2006)
101. S. Azizi Sultan, K.-H. Küfer
A dynamic algorithm for beam orientations in multicriteria IMRT planning
 Keywords: radiotherapy planning, beam orientation optimization, dynamic approach, evolutionary algorithm, global optimization (14 pages, 2006)
102. T. Götz, A. Klar, N. Marheineke, R. Wegener
A Stochastic Model for the Fiber Lay-down Process in the Nonwoven Production
 Keywords: fiber dynamics, stochastic Hamiltonian system, stochastic averaging (17 pages, 2006)
103. Ph. Süß, K.-H. Küfer
Balancing control and simplicity: a variable aggregation method in intensity modulated radiation therapy planning
 Keywords: IMRT planning, variable aggregation, clustering methods (22 pages, 2006)
104. A. Beaudry, G. Laporte, T. Melo, S. Nickel
Dynamic transportation of patients in hospitals
 Keywords: in-house hospital transportation, dial-a-ride, dynamic mode, tabu search (37 pages, 2006)
105. Th. Hanne
Applying multiobjective evolutionary algorithms in industrial projects
 Keywords: multiobjective evolutionary algorithms, discrete optimization, continuous optimization, electronic circuit design, semi-infinite programming, scheduling (18 pages, 2006)
106. J. Franke, S. Halim
Wild bootstrap tests for comparing signals and images
 Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression (13 pages, 2007)
107. Z. Drezner, S. Nickel
Solving the ordered one-median problem in the plane
 Keywords: planar location, global optimization, ordered median, big triangle small triangle method, bounds, numerical experiments (21 pages, 2007)
108. Th. Götz, A. Klar, A. Unterreiter, R. Wegener
Numerical evidence for the non-existing of solutions of the equations describing rotational fiber spinning
 Keywords: rotational fiber spinning, viscous fibers, boundary value problem, existence of solutions (11 pages, 2007)
109. Ph. Süß, K.-H. Küfer
Smooth intensity maps and the Bortfeld-Boyer sequencer
 Keywords: probabilistic analysis, intensity modulated radiotherapy treatment (IMRT), IMRT plan application, step-and-shoot sequencing (8 pages, 2007)

Status quo: March 2007