

Fraunhofer Institut
Techno- und
Wirtschaftsmathematik

J. Linn, T. Stephan, J. Carlsson, R. Bohlin

Fast simulation of quasistatic rod
deformations for VR applications

© Fraunhofer-Institut für Techno- und Wirtschaftsmathematik ITWM 2008

ISSN 1434-9973

Bericht 143 (2008)

Alle Rechte vorbehalten. Ohne ausdrückliche schriftliche Genehmigung des Herausgebers ist es nicht gestattet, das Buch oder Teile daraus in irgendeiner Form durch Fotokopie, Mikrofilm oder andere Verfahren zu reproduzieren oder in eine für Maschinen, insbesondere Datenverarbeitungsanlagen, verwendbare Sprache zu übertragen. Dasselbe gilt für das Recht der öffentlichen Wiedergabe.

Warennamen werden ohne Gewährleistung der freien Verwendbarkeit benutzt.

Die Veröffentlichungen in der Berichtsreihe des Fraunhofer ITWM können bezogen werden über:

Fraunhofer-Institut für Techno- und
Wirtschaftsmathematik ITWM
Fraunhofer-Platz 1

67663 Kaiserslautern
Germany

Telefon: 0631/3 16 00-0
Telefax: 0631/3 16 00-1099
E-Mail: info@itwm.fraunhofer.de
Internet: www.itwm.fraunhofer.de

Vorwort

Das Tätigkeitsfeld des Fraunhofer-Instituts für Techno- und Wirtschaftsmathematik ITWM umfasst anwendungsnahe Grundlagenforschung, angewandte Forschung sowie Beratung und kundenspezifische Lösungen auf allen Gebieten, die für Techno- und Wirtschaftsmathematik bedeutsam sind.

In der Reihe »Berichte des Fraunhofer ITWM« soll die Arbeit des Instituts kontinuierlich einer interessierten Öffentlichkeit in Industrie, Wirtschaft und Wissenschaft vorgestellt werden. Durch die enge Verzahnung mit dem Fachbereich Mathematik der Universität Kaiserslautern sowie durch zahlreiche Kooperationen mit internationalen Institutionen und Hochschulen in den Bereichen Ausbildung und Forschung ist ein großes Potenzial für Forschungsberichte vorhanden. In die Be richtreihe sollen sowohl hervorragende Diplom- und Projektarbeiten und Dissertationen als auch Forschungsberichte der Institutsmitarbeiter und Institutsgäste zu aktuellen Fragen der Techno- und Wirtschaftsmathematik aufgenommen werden.

Darüber hinaus bietet die Reihe ein Forum für die Berichterstattung über die zahlreichen Kooperationsprojekte des Instituts mit Partnern aus Industrie und Wirtschaft.

Berichterstattung heißt hier Dokumentation des Transfers aktueller Ergebnisse aus mathematischer Forschungs- und Entwicklungsarbeit in industrielle Anwendungen und Softwareprodukte – und umgekehrt, denn Probleme der Praxis generieren neue interessante mathematische Fragestellungen.



Prof. Dr. Dieter Prätzel-Wolters
Institutsleiter

Kaiserslautern, im Juni 2001

Fast simulation of quasistatic rod deformations for VR applications

J. Linn¹, T. Stephan¹, J. Carlsson², and R. Bohlin²

¹ Fraunhofer ITWM, Kaiserslautern (linn@itwm.fraunhofer.de)

² Fraunhofer–Chalmers Research Center FCC, Göteborg (www.fcc.chalmers.se)

Summary. We present a model of flexible rods — based on *Kirchhoff's* geometrically exact theory — which is suitable for the fast simulation of quasistatic deformations within VR or functional DMU applications. Unlike simple models of “*mass & spring*” type typically used in VR applications, our model provides a proper *coupling of bending and torsion*. The computational approach comprises a *variational formulation* combined with a *finite difference discretization* of the continuum model. Approximate solutions of the equilibrium equations for sequentially varying boundary conditions are obtained by means of *energy minimization* using a nonlinear CG method. The computational performance of our model proves to be sufficient for the interactive manipulation of flexible cables in assembly simulation.

1 Introduction

The handling of flexible objects in multibody simulation (MBS) models is both a long term research topic [1, 2] as well as an active area of current research within the MBS community [3, 4, 5]. A standard approach supported by most commercial software packages represents flexible bodies by means of vibrational modes (e.g. of *Craig–Bampton* type [6, 7]) computed by modal analysis within the framework of linear elasticity. The modal representation of a flexible structure usually yields a drastic reduction of the degrees of freedom and thereby provides a reduced model. However, such methods are suitable (as well as by definition restricted) to model forced oscillations effecting *small* deformations within a flexible structure.

If the flexible bodies of interest possess special geometrical properties characterising them as *slender* (or *thin*) structures (i.e. rods, plates or shells), their overall deformation in response to moderate external loads may become *large*, although locally the stresses and strains remain *small*. Therefore models suitable to describe such *large deformations of slender structures* must be capable to account for *geometric nonlinearities*. Compared to object geometries that require fully three dimensional volume modelling, the reduced dimensionality of rod or shell models is accompanied by a considerable reduction in the

number of degrees of freedom, which makes the inclusion of appropriately discretised versions of the *full* models (in contrast to modally reduced ones) into a MBS framework [4] computationally feasible even for time critical simulation applications.

Modelling of flexible structures in VR applications

The application aimed at within the framework of this article is the modelling of flexible cables or tubes (e.g. those externally attached to manufacturing robots) such that *quasistatic* deformations occurring during sufficiently slow motions of these cables can be simulated in *real time*. This capability is crucial for the seamless integration of a cable simulator module within VR (*virtual reality*) or FDMU (*functional digital mock up*) software packages used for *interactive simulation* (e.g. of assembly processes).

Although the dominant paradigm to assess the quality of a simulation or animation within these application areas — as well as related ones like computer games or movies — seems to be “... *It's good enough if it looks good ...*” [8], such that a mere “*fake*” [9] of structure deformation is considered to be acceptable (at least for those applications were “... *fooling of the eye ...*” [8] is the main issue), the need for “physics based” approaches increases constantly, and the usage of models that are more [12] or less [10, 11, 13] based on ideas borrowed from classical structural and rigid body mechanics is not uncommon, especially if the primary concern is not visual appearance but physical information (see e.g. [14]).

2 Cosserat and Kirchhoff rod models

In structural mechanics *slender objects* like cables, hoses etc. are described by one dimensional *beam* or *rod* models which utilise the fact that, due to the relative smallness of the linear dimension D of the cross section compared to the length L of a rod, the local stresses and strains remain small and the cross sections are almost unwarped, even if the overall deformation of the rod relative to its undeformed state is large. This justifies kinematical assumptions that restrict the cross sections of the deformed rod to remain *plane and rigid*.

In the following we give brief introduction to rod models of *Cosserat* and *Kirchhoff* type, the latter being a special case of the former. We do not present the most general versions of these models, which are discussed at length in the standard references [16] and [18]. The approach we finally use as a basis for the derivation of a generalized “*mass & spring*” type model by finite difference discretisation is an extensible variant of Kirchhoff's original theory [15] as presented in [17] (see part II, 16–19) for a hyperelastic rod with symmetric cross section subject to a constant gravitational body force.

2.1 Kinematics of Cosserat and Kirchhoff rods

A (*special*) *Cosserat rod* [18] is a *framed curve* [21] formally defined as a mapping $s \mapsto (\varphi(s), \hat{\mathbf{F}}(s))$ of the interval $\mathcal{I} = [0, L]$ into the configuration space $\mathbb{R}^3 \times SO(3)$ of the rod, where L is the length of the undeformed rod. Its constituents are: (i) a space curve $\varphi : \mathcal{I} \rightarrow \mathbb{R}^3$ that coincides with the *line of centroids* piercing the cross sections along the deformed rod at their geometrical center, and (ii) an “curve of frames” $\hat{\mathbf{F}} : \mathcal{I} \rightarrow SO(3)$ with the origin of each frame $\hat{\mathbf{F}}(s)$ attached to the point $\mathbf{x}_s = \varphi(s)$. The matrix representation of the frame $\hat{\mathbf{F}}(s)$ w.r.t. a fixed global coordinate system $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}, \mathbf{e}^{(3)}\}$ of \mathbb{R}^3 may be written as a triple of column vectors, i.e. $\hat{\mathbf{F}}(s) = (\mathbf{d}^{(1)}(s), \mathbf{d}^{(2)}(s), \mathbf{d}^{(3)}(s))$, obtained as $\mathbf{d}^{(k)}(s) = \hat{\mathbf{F}}(s) \cdot \mathbf{e}^{(k)}$. By definition $\mathbf{d}^{(3)}$ coincides with the unit *cross section normal* vector located at $\varphi(s)$.

For simplicity we assume the undeformed rod to be *straight and prismatic* such that its intial geometry relative to $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}, \mathbf{e}^{(3)}\}$ is given by the direct product $\mathcal{A} \times \mathcal{I}$ with a constant cross section area \mathcal{A} parallel to the plane spanned by $\{\mathbf{e}^{(1)}, \mathbf{e}^{(2)}\}$. Introducing coordinates (ξ_1, ξ_2) in the plane of the cross section \mathcal{A} relative to its geometrical center we may parametrise the material points $\mathbf{X} \in \mathcal{A} \times \mathcal{I}$ of the undeformed rod geometry by $\mathbf{X}(\xi_1, \xi_2, s) = \sum_{k=1,2} \xi_k \mathbf{e}^{(k)} + s \mathbf{e}^{(3)}$, and the deformation mapping $\mathbf{X} \mapsto \mathbf{x} = \Phi(\mathbf{X})$ is given by the formula $\mathbf{x}(\xi_1, \xi_2, s) = \varphi(s) + \sum_{k=1,2} \xi_k \mathbf{d}^{(k)}(s)$. The kinematics of a framed curve as presented above determine the possible deformations of a *Cosserat rod*. These are: *stretching* (in the direction of the curve tangent), *bending* (around an axis in the plane of the cross section), *twisting* (of the cross section around its normal) and *shearing* (i.e. tilting of the cross section normal w.r.t. the curve tangent).

Following [21] we denote a frame $\hat{\mathbf{F}}(s)$ as *adapted* to the curve $\varphi(s)$ if $\mathbf{d}^{(3)}(s)$ coincides with the *unit tangent* vector $\mathbf{t}(s) = \partial_s \varphi(s) / \|\partial_s \varphi(s)\|$ along the curve. An adapted frame satisfies the *Euler–Bernoulli* hypothesis which states that the cross sections remain always orthogonal to the centerline curve also in a deformed state. Curves with adapted frames describe the possible deformations of (extensible) *Kirchhoff rods*. Compared to Cosserat rods the kinematics of Kirchhoff rods are further restricted, as they do not allow for shear deformations. The *inextensibility* condition $\|\partial_s \varphi\| = 1$ constitutes an additional kinematical restriction.

Measuring the slenderness of a rod of cross section diameter D and length L in terms of the small parameter $\varepsilon = D/L$ and assuming (hyper)elastic material behaviour one may show that the potential energy terms corresponding to bending and torsion are of the order $\mathcal{O}(\varepsilon^4)$, while the energy terms corresponding to stretching and shearing scale as $\mathcal{O}(\varepsilon^2)$. In this way the latter effectively act as *penalty terms* that enforce the kinematical restrictions $\|\partial_s \varphi\| = 1$ and $\mathbf{d}^{(3)}(s) = \mathbf{t}(s)$. This explains how Kirchhoff rods appear as a natural limit case of Cosserat rods subject to moderate deformations provided ε is sufficiently small.

2.2 Hyperelastic Kirchhoff rods with circular cross section

As we are interested in a rod model that is suitable for the simulation of moderate cable deformations, both the Cosserat as well as the Kirchhoff approach would fit for our purpose. A characteristic feature of the Cosserat model consists in the description of the bending and torsion of the rod in terms of the frame variables, while the bending of the centerline curve $\varphi(s)$ is produced only indirectly via shearing forces that try to align the curve tangent to the cross section normal. In contrast to that, Kirchhoff's model [20] encodes bending strain directly by the curvature of $\varphi(s)$ and therefore provides a direct pathway to mass & spring type models formulated in terms of (discrete) d.o.f. of the centerline.

Averaging the normal Piola–Kirchhoff tractions and corresponding torques over the cross section surface of the deformed rod located at $\varphi(s)$ yields *stress resultants* $\mathbf{f}(s)$ and *stress couples* $\mathbf{m}(s)$, i.e. resultant force and moment vectors per unit reference length [19]. If the rod is in a *static equilibrium* state, these vectors satisfy the differential balance equations of forces and moments

$$\partial_s \mathbf{f} + \mathbf{G} = \mathbf{0}, \quad \partial_s \mathbf{m} + \partial_s \varphi \times \mathbf{f} = \mathbf{0}, \quad (1)$$

where \mathbf{G} represents a (not necessarily constant) body force acting along the rod, and we assumed that no external moment is applied in between the rod boundaries.

In the case of an extensible Kirchhoff rod which in its undeformed state has the form of a straight cylinder with circular cross section, the assumption of a hyperelastic material behaviour yields the expression [17]

$$\mathbf{m}(s) = EI \mathbf{t}(s) \times \partial_s \mathbf{t}(s) + GJ \Omega_t \mathbf{t}(s) \quad (2)$$

for the stress couple, where E is Young's modulus, G the shear modulus, I measures the geometrical moment of inertia of the cross section ($I = \frac{\pi}{4}R^4$ for a circular cross section of radius R) and $J = 2I$. The quantities EI and GJ determine the stiffness of the rod w.r.t. bending and torsion. The strain measure related to the bending moment is given by the vector

$$\mathbf{t} \times \partial_s \mathbf{t} = \frac{\partial_s \varphi \times \partial_s^2 \varphi}{\|\partial_s \varphi\|^2} = \|\partial_s \varphi\| \kappa \mathbf{b} \quad (3)$$

which is proportional to the *Frenet curvature* $\kappa(s)$ of the centerline and (if $\kappa > 0$) points in the direction of the binormal vector $\mathbf{b}(s)$. The strain measure related to the torsional moment is determined by the *twist*

$$\Omega_t(s) = \mathbf{t}(s) \cdot [\mathbf{d}(s) \times \partial_s \mathbf{d}(s)] \quad (4)$$

where $\mathbf{d}(s)$ is any unit normal vector field to the centerline given as a fixed linear combination $\mathbf{d} = \cos(\alpha_0) \mathbf{d}^{(1)} + \sin(\alpha_0) \mathbf{d}^{(2)}$ of the frame vectors $\mathbf{d}^{(1)}(s)$ and $\mathbf{d}^{(2)}(s)$ for some constant angle α_0 . Note that the special constitutive relation (2) implies that in equilibrium the twist Ω_t is constant.

As a Kirchhoff rod is (by definition) unshearable, only the *tangential* component of the stress resultant $\mathbf{f}(s)$ is constitutively determined by the *tension*

$$\mathbf{t}(s) \cdot \mathbf{f}(s) =: T(s) = EA (\|\partial_s \boldsymbol{\varphi}\| - 1) \quad (5)$$

related to the elongational strain ($\|\partial_s \boldsymbol{\varphi}\| - 1$). The resistance of the rod w.r.t. stretching is determined by EA where $A = |\mathcal{A}|$ is the size of the cross section area (in our case: $A = \pi R^2$). The *shearing force* acting parallel to the cross section is given by $\mathbf{f}_{sh}(s) = \mathbf{f}(s) - T(s) \mathbf{t}(s)$. It is not related to any strain measure but has to be determined from the equilibrium equations a Lagrange parameter corresponding to the internal constraint $\mathbf{d}(s) \cdot \mathbf{t}(s) = 0$.

To determine the deformation of the rod in static (or likewise quasistatic) equilibrium one has to solve the combined system of the eqns. (1) to (5) for a suitable set of *boundary conditions*, e.g. like those discussed in [20]. (This issue will not be discussed here.) Equivalently one may obtain the centerline $\boldsymbol{\varphi}(s)$ and the unit normal vector field $\mathbf{d}(s)$ that represents the adapted frame of the rod by *minimization of the potential energy*

$$W_{pot}[\boldsymbol{\varphi}, \mathbf{d}] = \int_0^L w_{el}(s) ds - \int_0^L \mathbf{G}(s) \cdot \boldsymbol{\varphi}(s) ds . \quad (6)$$

According to eqns. (2) to (5) the *elastic energy density* is a quadratic form in the various strain measures given by

$$w_{el}(s) = \frac{EI}{2} (\mathbf{t} \times \partial_s \mathbf{t})^2 + \frac{GJ}{2} \Omega_t^2(s) + \frac{EA}{2} (\|\partial_s \boldsymbol{\varphi}\| - 1)^2 \quad (7)$$

and determines the *stored energy function* $W_{el}[\boldsymbol{\varphi}, \mathbf{d}] = \int_0^L w_{el}(s) ds$ containing the internal part of W_{pot} . A specific choice of boundary conditions may be accounted for by modified expressions for $w_{el}(0)$ and $w_{el}(L)$ which are obtained from (7) by fixing combinations of the kinematical variables $\boldsymbol{\varphi}(s)$ and $\mathbf{d}(s)$ and their derivatives at prescribed values (as required by the b.c.) and substituting these into $w_{el}(s)$.

3 Discrete rod models of “mass & spring” type

The final step of our approach towards a model of flexible rods suitable for the fast computation of quasistatic rod deformations is the discretisation of the potential energy by applying standard (e.g. central) finite difference stencils to the elastic energy density (7) and corresponding quadratur rules (e.g. trapezoidal) to the energy integrals (6). (Boundary conditions are treated in the way described at the end of the previous section.)

This procedure results in a discrete model of an extensible Kirchhoff rod which has a similar structure like the simple “mass & spring” type models presented in [11] and [13]. However, as a benefit of the systematic derivation




Fig. 1. Sequential deformation of a discrete, hyperelastic Kirchhoff rod of symmetric cross section: (a) Starting from a circle segment, the tangents of the boundary frames are bent inward to produce (b) an (upside down) Ω -shaped deformation of the rod at zero twist. To demonstrate the effect of mutual coupling of bending and torsion in the discrete model, the boundary frame at $s = L$ is twisted counterclockwise by an angle of 2π while the other boundary frame at $s = 0$ is held fixed. The pictures (c)–(f) show snapshots of the deformation state taken at multiples of $\frac{\pi}{2}$. The overall deformation from (a) to (f) was split up into a sequence of 25 consecutive changes of the boundary conditions defined by the terminal frames of the rod. For a discretization of the cable into 10 segments, the simulation took 150 ms on 1 CPU of an AMD 2.2 GHz double processor PC, which amounts to an average computation time of 6 ms per step.

procedure on the basis of a proper continuum model, our discrete rod model is able to capture the rather subtle coupling of bending and torsion deformation.

We compute approximate solutions of the equilibrium equations for sequentially varying boundary conditions by a minimization of the discrete potential energy using a nonlinear CG method [22]. The computational efficiency of our approach is illustrated by the typical results shown in **Fig. 1** above. As the calculation times are comparable to those mentioned in [13], we estimate that our model is suitable for the interactive manipulation of flexible cables in assembly simulation (as indicated by preliminary tests with a software package developed at FCC.)

References

1. W.O. Schiehlen: Multibody system dynamics: Roots and perspectives, *Multibody System Dynamics* **1**, p. 149–188 (1997)
2. A.A. Shabana: Flexible multibody dynamics: Review of past and recent developments, *Multibody System Dynamics* **1**, p. 189–222 (1997)
3. B. Simeon: Numerical Analysis of Flexible Multibody Systems, *Multibody System Dynamics* **6**, p. 305–325 (2001)
4. P. Betsch: *Computational Methods for Flexible Multibody Dynamics*, Habilitationsschrift (2002)
5. A.A. Shabana: *Dynamics of Multibody Systems (Third edition)*, Cambridge University Press (2005)
6. R.R. Craig Jr. and M.C.C. Bampton: Coupling of Substructures for Dynamic Analysis, *AIAA Journal* Vol. **6**, No. 7, July 1968
7. R.R. Craig: *Structural Dynamics*, Wiley (1981)
8. D. Roble and T. Chan: Math in the Entertainment Industry, p. 971–990 in B. Engquist and W. Schmidt (ed.): *Mathematics Unlimited — 2001 and Beyond*, Springer (2001)
9. R. Barzel: Faking dynamics of ropes and springs, *IEEE Comput. Graph Appl.* **17**(3), p. 31–39 (1996)
10. D. Baraff and A. Witkin: Large steps in cloth simulation, p. 43–54 in *Proceedings of SIGGRAPH 98*, Computer Graphics Proceedings ed. by M. Cohen, Addison Wesley (1998)
11. A. Look and E. Schömer: A virtual environment for interactive assembly simulation: from rigid bodies to deformable cables, in *5th World Multiconference on Systemics, Cybernetics and Informatics (SCI'01)*, Vol. 3 (Virtual Engineering and Emergent Computing), p. 325–332 (2001)
12. D.K. Pai: Strands: Interactive simulation of thin solids using Cosserat models, *Comput. Graph. Forum* **21**(3), p. 347–352 (2002)
13. M. Gregoire and E. Schömer: Interactive simulation of one-dimensional flexible parts, *ACM Symposium on Solid and Physical Modeling (SPM'06)*, p. 95–103 (2006)
14. H. Baaser: Längenoptimierung von Bremsschläuchen und deren FE-Analyse auf Mikroebene, *VDI-Berichte Nr. 1967*, p. 13–22 (2006)
15. G. Kirchhoff: Über das Gleichgewicht und die Bewegung eines unendlich dünnen elastischen Stabes, *J. Reine Angew. Math. (Crelle)* **56**, p. 285–343 (1859)
16. A.E.H. Love: *A Treatise on the Mathematical Theory of Elasticity (4th edition)*, Cambridge University Press (1927), reprinted by Dover (1944)
17. L.D. Landau and E.M. Lifshitz: *Theory of Elasticity (Course of Theoretical Physics, Vol. 7, 3rd edition)*, Butterworth Heinemann (1986)
18. S. Antman: *Nonlinear Problems of Elasticity (2nd Edition)*, Springer (2005)
19. J.C. Simo: A finite strain beam formulation: the three dimensional dynamic problem – Part I, *Comp. Meth. Apl. Mech. Eng.* **49**, p. 55–70 (1985)
20. J.H. Maddocks: Stability of nonlinearly elastic rods, *Arch. Rational Mech. & Anal.* **85**, p. 311–354 (1984)
21. N. Chouaib and J.H. Maddocks: Kirchhoff's problem of helical equilibria of uniform rods, *J. Elasticity* **77**, p. 221–247 (2004)
22. J.R. Shewchuck: An Introduction to the Conjugate Gradient Method Without the Agonizing Pain, www.cs.berkeley.edu/~jrs/ (1994)

Published reports of the Fraunhofer ITWM

The PDF-files of the following reports are available under:

www.itwm.fraunhofer.de/de/zentral_berichte/berichte

1. D. Hietel, K. Steiner, J. Struckmeier
A Finite - Volume Particle Method for Compressible Flows
(19 pages, 1998)
2. M. Feldmann, S. Seibold
Damage Diagnosis of Rotors: Application of Hilbert Transform and Multi-Hypothesis Testing
Keywords: Hilbert transform, damage diagnosis, Kalman filtering, non-linear dynamics
(23 pages, 1998)
3. Y. Ben-Haim, S. Seibold
Robust Reliability of Diagnostic Multi-Hypothesis Algorithms: Application to Rotating Machinery
Keywords: Robust reliability, convex models, Kalman filtering, multi-hypothesis diagnosis, rotating machinery, crack diagnosis
(24 pages, 1998)
4. F.-Th. Lentes, N. Siedow
Three-dimensional Radiative Heat Transfer in Glass Cooling Processes
(23 pages, 1998)
5. A. Klar, R. Wegener
A hierarchy of models for multilane vehicular traffic
Part I: Modeling
(23 pages, 1998)

Part II: Numerical and stochastic investigations
(17 pages, 1998)
6. A. Klar, N. Siedow
Boundary Layers and Domain Decomposition for Radiative Heat Transfer and Diffusion Equations: Applications to Glass Manufacturing Processes
(24 pages, 1998)
7. I. Choquet
Heterogeneous catalysis modelling and numerical simulation in rarified gas flows
Part I: Coverage locally at equilibrium
(24 pages, 1998)
8. J. Ohser, B. Steinbach, C. Lang
Efficient Texture Analysis of Binary Images
(17 pages, 1998)
9. J. Orlik
Homogenization for viscoelasticity of the integral type with aging and shrinkage
(20 pages, 1998)
10. J. Mohring
Helmholtz Resonators with Large Aperture
(21 pages, 1998)
11. H. W. Hamacher, A. Schöbel
On Center Cycles in Grid Graphs
(15 pages, 1998)
12. H. W. Hamacher, K.-H. Küfer
Inverse radiation therapy planning - a multiple objective optimisation approach
(14 pages, 1999)
13. C. Lang, J. Ohser, R. Hilfer
On the Analysis of Spatial Binary Images
(20 pages, 1999)
14. M. Junk
On the Construction of Discrete Equilibrium Distributions for Kinetic Schemes
(24 pages, 1999)
15. M. Junk, S. V. Raghurame Rao
A new discrete velocity method for Navier-Stokes equations
(20 pages, 1999)
16. H. Neunzert
Mathematics as a Key to Key Technologies
(39 pages (4 PDF-Files), 1999)
17. J. Ohser, K. Sandau
Considerations about the Estimation of the Size Distribution in Wicksell's Corpuscule Problem
(18 pages, 1999)
18. E. Carrizosa, H. W. Hamacher, R. Klein, S. Nickel
Solving nonconvex planar location problems by finite dominating sets
Keywords: Continuous Location, Polyhedral Gauges, Finite Dominating Sets, Approximation, Sandwich Algorithm, Greedy Algorithm
(19 pages, 2000)
19. A. Becker
A Review on Image Distortion Measures
Keywords: Distortion measure, human visual system
(26 pages, 2000)
20. H. W. Hamacher, M. Labb  , S. Nickel, T. Sonneborn
Polyhedral Properties of the Uncapacitated Multiple Allocation Hub Location Problem
Keywords: integer programming, hub location, facility location, valid inequalities, facets, branch and cut
(21 pages, 2000)
21. H. W. Hamacher, A. Sch  bel
Design of Zone Tariff Systems in Public Transportation
(30 pages, 2001)
22. D. Hietel, M. Junk, R. Keck, D. Teleaga
The Finite-Volume-Particle Method for Conservation Laws
(16 pages, 2001)
23. T. Bender, H. Hennes, J. Kalcsics, M. T. Melo, S. Nickel
Location Software and Interface with GIS and Supply Chain Management
Keywords: facility location, software development, geographical information systems, supply chain management
(48 pages, 2001)
24. H. W. Hamacher, S. A. Tjandra
Mathematical Modelling of Evacuation Problems: A State of Art
(44 pages, 2001)
25. J. Kuhnert, S. Tiwari
Grid free method for solving the Poisson equation
Keywords: Poisson equation, Least squares method, Grid free method
(19 pages, 2001)
26. T. G  tz, H. Rave, D. Reinelt-Bitzer, K. Steiner, H. Tiemeier
Simulation of the fiber spinning process
Keywords: Melt spinning, fiber model, Lattice Boltzmann, CFD
(19 pages, 2001)
27. A. Zemaitis
On interaction of a liquid film with an obstacle
Keywords: impinging jets, liquid film, models, numerical solution, shape
(22 pages, 2001)
28. I. Ginzburg, K. Steiner
Free surface lattice-Boltzmann method to model the filling of expanding cavities by Bingham Fluids
Keywords: Generalized LBE, free-surface phenomena, interface boundary conditions, filling processes, Bingham viscoplastic model, regularized models
(22 pages, 2001)
29. H. Neunzert
»Denn nichts ist f  r den Menschen als Menschen etwas wert, was er nicht mit Leidenschaft tun kann«
Vortrag anl  sslich der Verleihung des Akademiepreises des Landes Rheinland-Pfalz am 21.11.2001
Keywords: Lehre, Forschung, angewandte Mathematik, Mehrskalenanalyse, Str  mungsmechanik
(18 pages, 2001)
30. J. Kuhnert, S. Tiwari
Finite pointset method based on the projection method for simulations of the incompressible Navier-Stokes equations
Keywords: Incompressible Navier-Stokes equations, Meshfree method, Projection method, Particle scheme, Least squares approximation
AMS subject classification: 76D05, 76M28
(25 pages, 2001)
31. R. Korn, M. Krekel
Optimal Portfolios with Fixed Consumption or Income Streams
Keywords: Portfolio optimisation, stochastic control, HJB equation, discretisation of control problems
(23 pages, 2002)
32. M. Krekel
Optimal portfolios with a loan dependent credit spread
Keywords: Portfolio optimisation, stochastic control, HJB equation, credit spread, log utility, power utility, non-linear wealth dynamics
(25 pages, 2002)
33. J. Ohser, W. Nagel, K. Schladitz
The Euler number of discretized sets – on the choice of adjacency in homogeneous lattices
Keywords: image analysis, Euler number, neighborhood relationships, cuboidal lattice
(32 pages, 2002)

34. I. Ginzburg, K. Steiner
Lattice Boltzmann Model for Free-Surface flow and Its Application to Filling Process in Casting
Keywords: Lattice Boltzmann models; free-surface phenomena; interface boundary conditions; filling processes; injection molding; volume of fluid method; interface boundary conditions; advection-schemes; upwind-schemes
(54 pages, 2002)
35. M. Günther, A. Klar, T. Materne, R. Wegener
Multivalued fundamental diagrams and stop and go waves for continuum traffic equations
Keywords: traffic flow, macroscopic equations, kinetic derivation, multivalued fundamental diagram, stop and go waves, phase transitions
(25 pages, 2002)
36. S. Feldmann, P. Lang, D. Prätzel-Wolters
Parameter influence on the zeros of network determinants
Keywords: Networks, Equicofactor matrix polynomials, Realization theory, Matrix perturbation theory
(30 pages, 2002)
37. K. Koch, J. Ohser, K. Schladitz
Spectral theory for random closed sets and estimating the covariance via frequency space
Keywords: Random set, Bartlett spectrum, fast Fourier transform, power spectrum
(28 pages, 2002)
38. D. d'Humières, I. Ginzburg
Multi-reflection boundary conditions for lattice Boltzmann models
Keywords: lattice Boltzmann equation, boudary conditions, bounce-back rule, Navier-Stokes equation
(72 pages, 2002)
39. R. Korn
Elementare Finanzmathematik
Keywords: Finanzmathematik, Aktien, Optionen, Portfolio-Optimierung, Börse, Lehrerweiterbildung, Mathematikunterricht
(98 pages, 2002)
40. J. Kallrath, M. C. Müller, S. Nickel
Batch Presorting Problems: Models and Complexity Results
Keywords: Complexity theory, Integer programming, Assignment, Logistics
(19 pages, 2002)
41. J. Linn
On the frame-invariant description of the phase space of the Folgar-Tucker equation
Keywords: fiber orientation, Folgar-Tucker equation, injection molding
(5 pages, 2003)
42. T. Hanne, S. Nickel
A Multi-Objective Evolutionary Algorithm for Scheduling and Inspection Planning in Software Development Projects
Keywords: multiple objective programming, project management and scheduling, software development, evolutionary algorithms, efficient set
(29 pages, 2003)
43. T. Bortfeld , K.-H. Küfer, M. Monz, A. Scherrer, C. Thieke, H. Trinkaus
Intensity-Modulated Radiotherapy - A Large Scale Multi-Criteria Programming Problem
Keywords: multiple criteria optimization, representative systems of Pareto solutions, adaptive triangulation, clustering and disaggregation techniques, visualization of Pareto solutions, medical physics, external beam radiotherapy planning, intensity modulated radiotherapy
(31 pages, 2003)
44. T. Halfmann, T. Wichmann
Overview of Symbolic Methods in Industrial Analog Circuit Design
Keywords: CAD, automated analog circuit design, symbolic analysis, computer algebra, behavioral modeling, system simulation, circuit sizing, macro modeling, differential-algebraic equations, index
(17 pages, 2003)
45. S. E. Mikhailov, J. Orlík
Asymptotic Homogenisation in Strength and Fatigue Durability Analysis of Composites
Keywords: multiscale structures, asymptotic homogenization, strength, fatigue, singularity, non-local conditions
(14 pages, 2003)
46. P. Domínguez-Marín, P. Hansen, N. Mladenović, S. Nickel
Heuristic Procedures for Solving the Discrete Ordered Median Problem
Keywords: genetic algorithms, variable neighborhood search, discrete facility location
(31 pages, 2003)
47. N. Boland, P. Domínguez-Marín, S. Nickel, J. Puerto
Exact Procedures for Solving the Discrete Ordered Median Problem
Keywords: discrete location, Integer programming
(41 pages, 2003)
48. S. Feldmann, P. Lang
Padé-like reduction of stable discrete linear systems preserving their stability
Keywords: Discrete linear systems, model reduction, stability, Hankel matrix, Stein equation
(16 pages, 2003)
49. J. Kallrath, S. Nickel
A Polynomial Case of the Batch Presorting Problem
Keywords: batch presorting problem, online optimization, competitive analysis, polynomial algorithms, logistics
(17 pages, 2003)
50. T. Hanne, H. L. Trinkaus
knowCube for MCDM – Visual and Interactive Support for Multicriteria Decision Making
Keywords: Multicriteria decision making, knowledge management, decision support systems, visual interfaces, interactive navigation, real-life applications.
(26 pages, 2003)
51. O. Iliev, V. Laptev
On Numerical Simulation of Flow Through Oil Filters
Keywords: oil filters, coupled flow in plain and porous media, Navier-Stokes, Brinkman, numerical simulation
(8 pages, 2003)
52. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On a Multigrid Adaptive Refinement Solver for Saturated Non-Newtonian Flow in Porous Media
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian flow in porous media
(17 pages, 2003)
53. S. Kruse
On the Pricing of Forward Starting Options under Stochastic Volatility
Keywords: Option pricing, forward starting options, Heston model, stochastic volatility, cliquet options
(11 pages, 2003)
54. O. Iliev, D. Stoyanov
Multigrid – adaptive local refinement solver for incompressible flows
Keywords: Navier-Stokes equations, incompressible flow, projection-type splitting, SIMPLE, multigrid methods, adaptive local refinement, lid-driven flow in a cavity
(37 pages, 2003)
55. V. Starikovicius
The multiphase flow and heat transfer in porous media
Keywords: Two-phase flow in porous media, various formulations, global pressure, multiphase mixture model, numerical simulation
(30 pages, 2003)
56. P. Lang, A. Sarishvili, A. Wirsén
Blocked neural networks for knowledge extraction in the software development process
Keywords: Blocked Neural Networks, Nonlinear Regression, Knowledge Extraction, Code Inspection
(21 pages, 2003)
57. H. Knafl, P. Lang, S. Zeiser
Diagnosis aiding in Regulation Thermography using Fuzzy Logic
Keywords: fuzzy logic, knowledge representation, expert system
(22 pages, 2003)
58. M. T. Melo, S. Nickel, F. Saldanha da Gama
Largescale models for dynamic multi-commodity capacitated facility location
Keywords: supply chain management, strategic planning, dynamic location, modeling
(40 pages, 2003)
59. J. Orlík
Homogenization for contact problems with periodically rough surfaces
Keywords: asymptotic homogenization, contact problems
(28 pages, 2004)
60. A. Scherrer, K.-H. Küfer, M. Monz, F. Alonso, T. Bortfeld
IMRT planning on adaptive volume structures – a significant advance of computational complexity
Keywords: Intensity-modulated radiation therapy (IMRT), inverse treatment planning, adaptive volume structures, hierarchical clustering, local refinement, adaptive clustering, convex programming, mesh generation, multi-grid methods
(24 pages, 2004)
61. D. Kehrwald
Parallel lattice Boltzmann simulation of complex flows
Keywords: Lattice Boltzmann methods, parallel computing, microstructure simulation, virtual material design, pseudo-plastic fluids, liquid composite moulding
(12 pages, 2004)
62. O. Iliev, J. Linn, M. Moog, D. Niedziela, V. Starikovicius
On the Performance of Certain Iterative Solvers for Coupled Systems Arising in Discretization of Non-Newtonian Flow Equations
Keywords: Performance of iterative solvers, Preconditioners, Non-Newtonian flow
(17 pages, 2004)
63. R. Ciegis, O. Iliev, S. Rief, K. Steiner
On Modelling and Simulation of Different Regimes for Liquid Polymer Moulding
Keywords: Liquid Polymer Moulding, Modelling, Simulation, Infiltration, Front Propagation, non-Newtonian flow in porous media
(43 pages, 2004)

64. T. Hanne, H. Neu
Simulating Human Resources in Software Development Processes
Keywords: Human resource modeling, software process, productivity, human factors, learning curve (14 pages, 2004)
65. O. Iliev, A. Mikelic, P. Popov
Fluid structure interaction problems in deformable porous media: Toward permeability of deformable porous media
Keywords: fluid-structure interaction, deformable porous media, upscaling, linear elasticity, stokes, finite elements (28 pages, 2004)
66. F. Gaspar, O. Iliev, F. Lisbona, A. Naumovich, P. Vabishchevich
On numerical solution of 1-D poroelasticity equations in a multilayered domain
Keywords: poroelasticity, multilayered material, finite volume discretization, MAC type grid (41 pages, 2004)
67. J. Ohser, K. Schladitz, K. Koch, M. Nöthe
Diffract by image processing and its application in materials science
Keywords: porous microstructure, image analysis, random set, fast Fourier transform, power spectrum, Bartlett spectrum (13 pages, 2004)
68. H. Neunzert
Mathematics as a Technology: Challenges for the next 10 Years
Keywords: applied mathematics, technology, modelling, simulation, visualization, optimization, glass processing, spinning processes, fiber-fluid interaction, turbulence effects, topological optimization, multicriteria optimization, Uncertainty and Risk, financial mathematics, Malliavin calculus, Monte-Carlo methods, virtual material design, filtration, bio-informatics, system biology (29 pages, 2004)
69. R. Ewing, O. Iliev, R. Lazarov, A. Naumovich
On convergence of certain finite difference discretizations for 1D poroelasticity interface problems
Keywords: poroelasticity, multilayered material, finite volume discretizations, MAC type grid, error estimates (26 pages, 2004)
70. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On Efficient Simulation of Non-Newtonian Flow in Saturated Porous Media with a Multigrid Adaptive Refinement Solver
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian in porous media (25 pages, 2004)
71. J. Kalcsics, S. Nickel, M. Schröder
Towards a Unified Territory Design Approach – Applications, Algorithms and GIS Integration
Keywords: territory design, political districting, sales territory alignment, optimization algorithms, Geographical Information Systems (40 pages, 2005)
72. K. Schladitz, S. Peters, D. Reinel-Bitzer, A. Wiegmann, J. Ohser
Design of acoustic trim based on geometric modeling and flow simulation for non-woven
Keywords: random system of fibers, Poisson line process, flow resistivity, acoustic absorption, Lattice-Boltzmann method, non-woven (21 pages, 2005)
73. V. Rutka, A. Wiegmann
Explicit Jump Immersed Interface Method for virtual material design of the effective elastic moduli of composite materials
Keywords: virtual material design, explicit jump immersed interface method, effective elastic moduli, composite materials (22 pages, 2005)
74. T. Hanne
Eine Übersicht zum Scheduling von Baustellen
Keywords: Projektplanung, Scheduling, Bauplanung, Bauindustrie (32 pages, 2005)
75. J. Linn
The Folgar-Tucker Model as a Differential Algebraic System for Fiber Orientation Calculation
Keywords: fiber orientation, Folgar-Tucker model, invariants, algebraic constraints, phase space, trace stability (15 pages, 2005)
76. M. Speckert, K. Dreßler, H. Mauch, A. Lion, G. J. Wierda
Simulation eines neuartigen Prüfsystems für Achserprobungen durch MKS-Modellierung einschließlich Regelung
Keywords: virtual test rig, suspension testing, multibody simulation, modeling hexapod test rig, optimization of test rig configuration (20 pages, 2005)
77. K.-H. Küfer, M. Monz, A. Scherrer, P. Süß, F. Alonso, A. S. A. Sultan, Th. Bortfeld, D. Craft, Chr. Thieke
Multicriteria optimization in intensity modulated radiotherapy planning
Keywords: multicriteria optimization, extreme solutions, real-time decision making, adaptive approximation schemes, clustering methods, IMRT planning, reverse engineering (51 pages, 2005)
78. S. Amstutz, H. Andrä
A new algorithm for topology optimization using a level-set method
Keywords: shape optimization, topology optimization, topological sensitivity, level-set (22 pages, 2005)
79. N. Ettrich
Generation of surface elevation models for urban drainage simulation
Keywords: Flooding, simulation, urban elevation models, laser scanning (22 pages, 2005)
80. H. Andrä, J. Linn, I. Matei, I. Shklyar, K. Steiner, E. Teichmann
OPTCAST – Entwicklung adäquater Strukturoptimierungsverfahren für Gießereien Technischer Bericht (KURZFASSUNG)
Keywords: Topologieoptimierung, Level-Set-Methode, Gießprozesssimulation, Gießtechnische Restriktionen, CAE-Kette zur Strukturoptimierung (77 pages, 2005)
81. N. Marheineke, R. Wegener
Fiber Dynamics in Turbulent Flows Part I: General Modeling Framework
Keywords: fiber-fluid interaction; Cosserat rod; turbulence modeling; Kolmogorov's energy spectrum; double-velocity correlations; differentiable Gaussian fields (20 pages, 2005)
- Part II: Specific Taylor Drag**
Keywords: flexible fibers; $k-\epsilon$ turbulence model; fiber-turbulence interaction scales; air drag; random Gaussian aerodynamic force; white noise; stochastic differential equations; ARMA process (18 pages, 2005)
82. C. H. Lampert, O. Wirjadi
An Optimal Non-Orthogonal Separation of the Anisotropic Gaussian Convolution Filter
Keywords: Anisotropic Gaussian filter, linear filtering, orientation space, nD image processing, separable filters (25 pages, 2005)
83. H. Andrä, D. Stoyanov
Error indicators in the parallel finite element solver for linear elasticity DDFEM
Keywords: linear elasticity, finite element method, hierarchical shape functions, domain decomposition, parallel implementation, a posteriori error estimates (21 pages, 2006)
84. M. Schröder, I. Solchenbach
Optimization of Transfer Quality in Regional Public Transit
Keywords: public transit, transfer quality, quadratic assignment problem (16 pages, 2006)
85. A. Naumovich, F. J. Gaspar
On a multigrid solver for the three-dimensional Biot poroelasticity system in multi-layered domains
Keywords: poroelasticity, interface problem, multigrid, operator-dependent prolongation (11 pages, 2006)
86. S. Panda, R. Wegener, N. Marheineke
Slender Body Theory for the Dynamics of Curved Viscous Fibers
Keywords: curved viscous fibers; fluid dynamics; Navier-Stokes equations; free boundary value problem; asymptotic expansions; slender body theory (14 pages, 2006)
87. E. Ivanov, H. Andrä, A. Kudryavtsev
Domain Decomposition Approach for Automatic Parallel Generation of Tetrahedral Grids
Key words: Grid Generation, Unstructured Grid, Delaunay Triangulation, Parallel Programming, Domain Decomposition, Load Balancing (18 pages, 2006)
88. S. Tiwari, S. Antonov, D. Hietel, J. Kuhnert, R. Wegener
A Meshfree Method for Simulations of Interactions between Fluids and Flexible Structures
Key words: Meshfree Method, FPM, Fluid Structure Interaction, Sheet of Paper, Dynamical Coupling (16 pages, 2006)
89. R. Ciegis, O. Iliev, V. Starikovicius, K. Steiner
Numerical Algorithms for Solving Problems of Multiphase Flows in Porous Media
Keywords: nonlinear algorithms, finite-volume method, software tools, porous media, flows (16 pages, 2006)
90. D. Niedziela, O. Iliev, A. Latz
On 3D Numerical Simulations of Viscoelastic Fluids
Keywords: non-Newtonian fluids, anisotropic viscosity, integral constitutive equation (18 pages, 2006)

91. A. Winterfeld
Application of general semi-infinite Programming to Lapidary Cutting Problems
Keywords: large scale optimization, nonlinear programming, general semi-infinite optimization, design centering, clustering
(26 pages, 2006)
92. J. Orlik, A. Ostrovska
Space-Time Finite Element Approximation and Numerical Solution of Hereditary Linear Viscoelasticity Problems
Keywords: hereditary viscoelasticity; kern approximation by interpolation; space-time finite element approximation, stability and a priori estimate
(24 pages, 2006)
93. V. Rutka, A. Wiegmann, H. Andrä
EJIM for Calculation of effective Elastic Moduli in 3D Linear Elasticity
Keywords: Elliptic PDE, linear elasticity, irregular domain, finite differences, fast solvers, effective elastic moduli
(24 pages, 2006)
94. A. Wiegmann, A. Zemitis
EJ-HEAT: A Fast Explicit Jump Harmonic Averaging Solver for the Effective Heat Conductivity of Composite Materials
Keywords: Stationary heat equation, effective thermal conductivity, explicit jump, discontinuous coefficients, virtual material design, microstructure simulation, EJ-HEAT
(21 pages, 2006)
95. A. Naumovich
On a finite volume discretization of the three-dimensional Biot poroelasticity system in multilayered domains
Keywords: Biot poroelasticity system, interface problems, finite volume discretization, finite difference method
(21 pages, 2006)
96. M. Krekel, J. Wenzel
A unified approach to Credit Default Swap and Constant Maturity Credit Default Swap valuation
Keywords: LIBOR market model, credit risk, Credit Default Swap, Constant Maturity Credit Default Swap-method
(43 pages, 2006)
97. A. Dreyer
Interval Methods for Analog Circuits
Keywords: interval arithmetic, analog circuits, tolerance analysis, parametric linear systems, frequency response, symbolic analysis, CAD, computer algebra
(36 pages, 2006)
98. N. Weigel, S. Weihe, G. Bitsch, K. Dreßler
Usage of Simulation for Design and Optimization of Testing
Keywords: Vehicle test rigs, MBS, control, hydraulics, testing philosophy
(14 pages, 2006)
99. H. Lang, G. Bitsch, K. Dreßler, M. Speckert
Comparison of the solutions of the elastic and elastoplastic boundary value problems
Keywords: Elastic BVP, elastoplastic BVP, variational inequalities, rate-independency, hysteresis, linear kinematic hardening, stop- and play-operator
(21 pages, 2006)
100. M. Speckert, K. Dreßler, H. Mauch
MBS Simulation of a hexapod based suspension test rig
Keywords: Test rig, MBS simulation, suspension, hydraulics, controlling, design optimization
(12 pages, 2006)
101. S. Azizi Sultan, K.-H. Küfer
A dynamic algorithm for beam orientations in multicriteria IMRT planning
Keywords: radiotherapy planning, beam orientation optimization, dynamic approach, evolutionary algorithm, global optimization
(14 pages, 2006)
102. T. Götz, A. Klar, N. Marheineke, R. Wegener
A Stochastic Model for the Fiber Lay-down Process in the Nonwoven Production
Keywords: fiber dynamics, stochastic Hamiltonian system, stochastic averaging
(17 pages, 2006)
103. Ph. Süss, K.-H. Küfer
Balancing control and simplicity: a variable aggregation method in intensity modulated radiation therapy planning
Keywords: IMRT planning, variable aggregation, clustering methods
(22 pages, 2006)
104. A. Beaudry, G. Laporte, T. Melo, S. Nickel
Dynamic transportation of patients in hospitals
Keywords: in-house hospital transportation, dial-a-ride, dynamic mode, tabu search
(37 pages, 2006)
105. Th. Hanne
Applying multiobjective evolutionary algorithms in industrial projects
Keywords: multiobjective evolutionary algorithms, discrete optimization, continuous optimization, electronic circuit design, semi-infinite programming, scheduling
(18 pages, 2006)
106. J. Franke, S. Halim
Wild bootstrap tests for comparing signals and images
Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression
(13 pages, 2007)
107. Z. Drezner, S. Nickel
Solving the ordered one-median problem in the plane
Keywords: planar location, global optimization, ordered median, big triangle small triangle method, bounds, numerical experiments
(21 pages, 2007)
108. Th. Götz, A. Klar, A. Unterreiter, R. Wegener
Numerical evidence for the non-existing of solutions of the equations describing rotational fiber spinning
Keywords: rotational fiber spinning, viscous fibers, boundary value problem, existence of solutions
(11 pages, 2007)
109. Ph. Süss, K.-H. Küfer
Smooth intensity maps and the Bortfeld-Boyer sequencer
Keywords: probabilistic analysis, intensity modulated radiotherapy treatment (IMRT), IMRT plan application, step-and-shoot sequencing
(8 pages, 2007)
110. E. Ivanov, O. Gluchshenko, H. Andrä, A. Kudryavtsev
Parallel software tool for decomposing and meshing of 3d structures
Keywords: a-priori domain decomposition, unstructured grid, Delaunay mesh generation
(14 pages, 2007)
111. O. Iliev, R. Lazarov, J. Willems
Numerical study of two-grid preconditioners for 1d elliptic problems with highly oscillating discontinuous coefficients
Keywords: two-grid algorithm, oscillating coefficients, preconditioner
(20 pages, 2007)
112. L. Bonilla, T. Götz, A. Klar, N. Marheineke, R. Wegener
Hydrodynamic limit of the Fokker-Planck-equation describing fiber lay-down processes
Keywords: stochastic differential equations, Fokker-Planck equation, asymptotic expansion, Ornstein-Uhlenbeck process
(17 pages, 2007)
113. S. Rief
Modeling and simulation of the pressing section of a paper machine
Keywords: paper machine, computational fluid dynamics, porous media
(41 pages, 2007)
114. R. Ciegis, O. Iliev, Z. Lakdawala
On parallel numerical algorithms for simulating industrial filtration problems
Keywords: Navier-Stokes-Brinkmann equations, finite volume discretization method, SIMPLE, parallel computing, data decomposition method
(24 pages, 2007)
115. N. Marheineke, R. Wegener
Dynamics of curved viscous fibers with surface tension
Keywords: Slender body theory, curved viscous fibers with surface tension, free boundary value problem
(25 pages, 2007)
116. S. Feth, J. Franke, M. Speckert
Resampling-Methoden zur mse-Korrektur und Anwendungen in der Betriebsfestigkeit
Keywords: Weibull, Bootstrap, Maximum-Likelihood, Betriebsfestigkeit
(16 pages, 2007)
117. H. Knafl
Kernel Fisher discriminant functions – a concise and rigorous introduction
Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression
(30 pages, 2007)
118. O. Iliev, I. Rybak
On numerical upscaling for flows in heterogeneous porous media
Keywords: numerical upscaling, heterogeneous porous media, single phase flow, Darcy's law, multiscale problem, effective permeability, multipoint flux approximation, anisotropy
(17 pages, 2007)
119. O. Iliev, I. Rybak
On approximation property of multipoint flux approximation method
Keywords: Multipoint flux approximation, finite volume method, elliptic equation, discontinuous tensor coefficients, anisotropy
(15 pages, 2007)
120. O. Iliev, I. Rybak, J. Willems
On upscaling heat conductivity for a class of industrial problems
Keywords: Multiscale problems, effective heat conductivity, numerical upscaling, domain decomposition
(21 pages, 2007)

121. R. Ewing, O. Iliev, R. Lazarov, I. Rybak
On two-level preconditioners for flow in porous media
 Keywords: Multiscale problem, Darcy's law, single phase flow, anisotropic heterogeneous porous media, numerical upscaling, multigrid, domain decomposition, efficient preconditioner
 (18 pages, 2007)
122. M. Brickenstein, A. Dreyer
POLYBORI: A Gröbner basis framework for Boolean polynomials
 Keywords: Gröbner basis, formal verification, Boolean polynomials, algebraic cryptoanalysis, satisfiability
 (23 pages, 2007)
123. O. Wirjadi
Survey of 3d image segmentation methods
 Keywords: image processing, 3d, image segmentation, binarization
 (20 pages, 2007)
124. S. Zeytun, A. Gupta
A Comparative Study of the Vasicek and the CIR Model of the Short Rate
 Keywords: interest rates, Vasicek model, CIR-model, calibration, parameter estimation
 (17 pages, 2007)
125. G. Hanselmann, A. Sarishvili
Heterogeneous redundancy in software quality prediction using a hybrid Bayesian approach
 Keywords: reliability prediction, fault prediction, non-homogeneous poisson process, Bayesian model averaging
 (17 pages, 2007)
126. V. Maag, M. Berger, A. Winterfeld, K.-H. Küfer
A novel non-linear approach to minimal area rectangular packing
 Keywords: rectangular packing, non-overlapping constraints, non-linear optimization, regularization, relaxation
 (18 pages, 2007)
127. M. Monz, K.-H. Küfer, T. Bortfeld, C. Thieke
Pareto navigation – systematic multi-criteria-based IMRT treatment plan determination
 Keywords: convex, interactive multi-objective optimization, intensity modulated radiotherapy planning
 (15 pages, 2007)
128. M. Krause, A. Scherrer
On the role of modeling parameters in IMRT plan optimization
 Keywords: intensity-modulated radiotherapy (IMRT), inverse IMRT planning, convex optimization, sensitivity analysis, elasticity, modeling parameters, equivalent uniform dose (EUD)
 (18 pages, 2007)
129. A. Wiegmann
Computation of the permeability of porous materials from their microstructure by FFF-Stokes
 Keywords: permeability, numerical homogenization, fast Stokes solver
 (24 pages, 2007)
130. T. Melo, S. Nickel, F. Saldanha da Gama
Facility Location and Supply Chain Management – A comprehensive review
 Keywords: facility location, supply chain management, network design
 (54 pages, 2007)
131. T. Hanne, T. Melo, S. Nickel
Bringing robustness to patient flow management through optimized patient transports in hospitals
 Keywords: Dial-a-Ride problem, online problem, case study, tabu search, hospital logistics
 (23 pages, 2007)
132. R. Ewing, O. Iliev, R. Lazarov, I. Rybak, J. Willems
An efficient approach for upscaling properties of composite materials with high contrast of coefficients
 Keywords: effective heat conductivity, permeability of fractured porous media, numerical upscaling, fibrous insulation materials, metal foams
 (16 pages, 2008)
133. S. Gelareh, S. Nickel
New approaches to hub location problems in public transport planning
 Keywords: integer programming, hub location, transportation, decomposition, heuristic
 (25 pages, 2008)
134. G. Thömmes, J. Becker, M. Junk, A. K. Vai-kuntam, D. Kehrwald, A. Klar, K. Steiner, A. Wiegmann
A Lattice Boltzmann Method for immiscible multiphase flow simulations using the Level Set Method
 Keywords: Lattice Boltzmann method, Level Set method, free surface, multiphase flow
 (28 pages, 2008)
135. J. Orlik
Homogenization in elasto-plasticity
 Keywords: multiscale structures, asymptotic homogenization, nonlinear energy
 (40 pages, 2008)
136. J. Almquist, H. Schmidt, P. Lang, J. Deitmer, M. Jirstrand, D. Prätzel-Wolters, H. Becker
Determination of interaction between MCT1 and CAll via a mathematical and physiological approach
 Keywords: mathematical modeling; model reduction; electrophysiology; pH-sensitive microelectrodes; proton antenna
 (20 pages, 2008)
137. E. Savenkov, H. Andrä, O. Iliev
An analysis of one regularization approach for solution of pure Neumann problem
 Keywords: pure Neumann problem, elasticity, regularization, finite element method, condition number
 (27 pages, 2008)
138. O. Berman, J. Kalcsics, D. Krass, S. Nickel
The ordered gradual covering location problem on a network
 Keywords: gradual covering, ordered median function, network location
 (32 pages, 2008)
139. S. Gelareh, S. Nickel
Multi-period public transport design: A novel model and solution approaches
 Keywords: Integer programming, hub location, public transport, multi-period planning, heuristics
 (31 pages, 2008)
140. T. Melo, S. Nickel, F. Saldanha-da-Gama
Network design decisions in supply chain planning
 Keywords: supply chain design, integer programming models, location models, heuristics
 (20 pages, 2008)

Status quo: June 2008

141. C. Lautensack, A. Särkkä, J. Freitag, K. Schladitz
Anisotropy analysis of pressed point processes
 Keywords: estimation of compression, isotropy test, nearest neighbour distance, orientation analysis, polar ice, Ripley's K function
 (35 pages, 2008)
142. O. Iliev, R. Lazarov, J. Willems
A Graph-Laplacian approach for calculating the effective thermal conductivity of complicated fiber geometries
 Keywords: graph laplacian, effective heat conductivity, numerical upscaling, fibrous materials
 (14 pages, 2008)
143. J. Linn, T. Stephan, J. Carlsson, R. Bohlin
Fast simulation of quasistatic rod deformations for VR applications
 Keywords: quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients
 (7 pages, 2008)