



Fraunhofer
ITWM

P. Jung, S. Leyendecker, J. Linn, M. Ortiz

Discrete Lagrangian mechanics and geometrically exact Cosserat rods

© Fraunhofer-Institut für Techno- und Wirtschaftsmathematik ITWM 2009

ISSN 1434-9973

Bericht 160 (2009)

Alle Rechte vorbehalten. Ohne ausdrückliche schriftliche Genehmigung des Herausgebers ist es nicht gestattet, das Buch oder Teile daraus in irgendeiner Form durch Fotokopie, Mikrofilm oder andere Verfahren zu reproduzieren oder in eine für Maschinen, insbesondere Datenverarbeitungsanlagen, verwendbare Sprache zu übertragen. Dasselbe gilt für das Recht der öffentlichen Wiedergabe.

Warennamen werden ohne Gewährleistung der freien Verwendbarkeit benutzt.

Die Veröffentlichungen in der Berichtsreihe des Fraunhofer ITWM können bezogen werden über:

Fraunhofer-Institut für Techno- und
Wirtschaftsmathematik ITWM
Fraunhofer-Platz 1

67663 Kaiserslautern
Germany

Telefon: 06 31/3 16 00-0
Telefax: 06 31/3 16 00-10 99
E-Mail: info@itwm.fraunhofer.de
Internet: www.itwm.fraunhofer.de

Vorwort

Das Tätigkeitsfeld des Fraunhofer-Instituts für Techno- und Wirtschaftsmathematik ITWM umfasst anwendungsnahe Grundlagenforschung, angewandte Forschung sowie Beratung und kundenspezifische Lösungen auf allen Gebieten, die für Techno- und Wirtschaftsmathematik bedeutsam sind.

In der Reihe »Berichte des Fraunhofer ITWM« soll die Arbeit des Instituts kontinuierlich einer interessierten Öffentlichkeit in Industrie, Wirtschaft und Wissenschaft vorgestellt werden. Durch die enge Verzahnung mit dem Fachbereich Mathematik der Universität Kaiserslautern sowie durch zahlreiche Kooperationen mit internationalen Institutionen und Hochschulen in den Bereichen Ausbildung und Forschung ist ein großes Potenzial für Forschungsberichte vorhanden. In die Berichtreihe sollen sowohl hervorragende Diplom- und Projektarbeiten und Dissertationen als auch Forschungsberichte der Institutsmitarbeiter und Institutsgäste zu aktuellen Fragen der Techno- und Wirtschaftsmathematik aufgenommen werden.

Darüber hinaus bietet die Reihe ein Forum für die Berichterstattung über die zahlreichen Kooperationsprojekte des Instituts mit Partnern aus Industrie und Wirtschaft.

Berichterstattung heißt hier Dokumentation des Transfers aktueller Ergebnisse aus mathematischer Forschungs- und Entwicklungsarbeit in industrielle Anwendungen und Softwareprodukte – und umgekehrt, denn Probleme der Praxis generieren neue interessante mathematische Fragestellungen.

A handwritten signature in black ink, appearing to read 'Dieter Prätzels-Wolters' with a stylized flourish at the end.

Prof. Dr. Dieter Prätzels-Wolters
Institutsleiter

Kaiserslautern, im Juni 2001

DISCRETE LAGRANGIAN MECHANICS AND GEOMETRICALLY EXACT COSSERAT RODS

Pascal Jung^{*}, Sigrid Leyendecker[†], Joachim Linn[‡] and Michael Ortiz[§]

^{*}University of Kaiserslautern
Erwin Schrödinger Straße, 67663 Kaiserslautern, Germany
e-mail: pjung@mathematik.uni-kl.de

[†]Freie Universität Berlin
Arnimalle 6, 14195 Berlin, Germany
e-mail: sleye@zedat.fu-berlin.de

[‡]Fraunhofer ITWM
Fraunhofer Platz 1, 67663 Kaiserslautern, Germany
e-mail: linn@itwm.fraunhofer.de

[§]California Institute of Technology
1200 E California Blvd, 91125 Pasadena, CA, USA
e-mail: ortiz@aero.caltech.edu

Keywords: Special Cosserat rods, Lagrangian mechanics, Noether's theorem, discrete mechanics, frame-indifference, holonomic constraints.

Abstract. *Inspired by Kirchhoff's kinetic analogy, the special Cosserat theory of rods is formulated in the language of Lagrangian mechanics. A static rod corresponds to an abstract Lagrangian system where the energy density takes the role of the Lagrangian function. The equilibrium equations are derived from a variational principle. Noether's theorem relates their first integrals to frame-indifference, isotropy and uniformity. These properties can be formulated in terms of Lie group symmetries. The rotational degrees of freedom, present in the geometrically exact beam theory, are represented in terms of orthonormal director triads. To reduce the number of unknowns, Lagrange multipliers associated with the orthonormality constraints are eliminated using null-space matrices. This is done both in the continuous and in the discrete setting. The discrete equilibrium equations are used to compute discrete rod configurations, where different types of boundary conditions can be handled.*

1 INTRODUCTION

In the past two decades, the theory of discrete mechanics (see Ref. [1]) has grown to be a large and interesting area of research. Numerical integrators that are derived from a discrete variational principle have favourable conservation properties. The fact that the equations of motion for a Lagrange top are formally equivalent to the equilibrium equations of an isotropic Kirchhoff rod is known in the literature as Kirchhoff's kinetic analogy and attempts have been taken to generalize Kirchhoff's kinetic analogy to Cosserat rod models. Examples of such investigations can be found in Ref. [2] and Ref. [3] where a variety of Hamiltonian systems are constructed whose canonical equations correspond to the equilibrium equations of the respective rod model.

It is an interesting idea to apply the theory of geometric integrators to mechanical systems that arise in the context of such kinetic analogies and analyze the properties of the discretizations obtained that way. Such approaches have been taken for example in Ref. [4] or in Ref. [5]. The aim of this article is the systematic application of concepts from classical and discrete mechanics in order to describe hyperelastic rods both in the continuous and in the discrete setting.

The potential energy density is the object of most importance in rod theory. In the case of hyperelastic material behavior, it specifies the constitutive properties of the rod and implies the constitutive equations which relate strains to forces and moments. Kirchhoff's kinetic analogy suggests that this energy density function (depending on the space curve parameter) is formally equivalent to the Lagrangian function of a time-dependent mechanical system, such that the static equilibrium equations of a rod correspond to the Euler-Lagrange equations of the latter.

When deriving the equilibrium equations by computing variations of the potential energy, two aspects deserve special attention. First of all, the canonical expressions for the strain vectors imply that the internal energy (which is associated to strain) is invariant under rigid motions. This invariance property is called objectivity or frame-indifference. It is shown in Ref. [6] that frame-indifference is the basic requirement for the spatial Euler-Lagrange equations to take the familiar form of Eq. (9). Frame-indifference also ensures the existence of six first integrals that can be recovered as momentum maps in the context of Noether's theorem. It is crucial that frame-indifference is preserved in a discrete rod model because the aforementioned features have equivalents in the discrete setting. Secondly, since due to the presence of rotations the configuration manifold corresponding to a Cosserat rod is not a vector space, we have to deal with Lagrange multipliers in the equilibrium equations. In the present work, we use an equivalent formulation involving null-space matrices based on the ideas in Ref. [7].

The discrete mechanics part is developed fairly analogously. Based on a discretization of the variational principle, the discrete equilibrium equations are derived which exhibit a similar structure as the continuous equations (assumed that the discretization is frame-indifferent!). This set of equations will be the basis for numerical algorithms.

2 VARIATIONAL FORMULATION OF ROD THEORY

2.1 Basic kinematics

A configuration of a continuous Cosserat rod is determined by a vector function $r : [0, L] \rightarrow \mathbb{R}^3$, together with a pair $d^{(1)}, d^{(2)} : [0, L] \rightarrow \mathbb{R}^3$ of vector functions that satisfy the orthonormality conditions $\langle d^{(1)}(s), d^{(2)}(s) \rangle = 0$, $\|d^{(k)}(s)\|_2 = 1$ for $k = 1, 2$, $s \in [0, L]$. While r addresses points on the centerline, the $d^{(k)}$ describe the orientation of the cross-section along $[0, L]$. We define the cross-section normal vector $d^{(3)}(s) = d^{(1)}(s) \times d^{(2)}(s)$ to obtain a right-handed orthonormal basis $(d^{(1)}, d^{(2)}, d^{(3)})$, called director field. The deformed configuration can




Figure 1: Kinematics of a special Cosserat rod in terms of centerline and directors.

alternatively be described by the pair (r, R)

$$(r, R) : [0, L] \rightarrow \mathbb{R}^3 \times \text{SO}(3)$$

where $R(s) = [d^{(1)}(s), d^{(2)}(s), d^{(3)}(s)] \in \text{SO}(3)$ denotes the column matrix corresponding to the director field. The full kinematical information is therefore given by a curve in the manifold $Q = \mathbb{R}^3 \times \text{SO}(3)$.

2.2 Submanifolds and null-space matrices

As mentioned in the introduction, due to the presence of rotations, Q is not a vector-space. However, we work with the embedding of Q in \mathbb{R}^{12} giving rise to constraints. Our formulation of rod theory involves null-space matrices, which we prefer to the formulation with Lagrange multipliers. A null-space matrix at $q \in Q$ is a matrix $P(q) \in \mathbb{R}^{12 \times 6}$ such that $\text{range}(P(q)) = T_q Q$. An important feature of null-space matrices is that they can be used to eliminate constraint “forces” that arise due to the constraints induced by Q . See Ref. [7, 8, 9] for further details. We choose

$$P(q) = \begin{bmatrix} \mathbb{1}_3 & 0 \\ 0 & -\hat{d}^{(1)} \\ 0 & -\hat{d}^{(2)} \\ 0 & -\hat{d}^{(3)} \end{bmatrix} \quad \text{for} \quad q = \begin{bmatrix} r \\ d^{(1)} \\ d^{(2)} \\ d^{(3)} \end{bmatrix} \in Q \quad (1)$$

where we denote by $\hat{d} \in \text{so}(3)$ the skew-symmetric matrix corresponding to $d \in \mathbb{R}^3$ defined through the relation $\hat{d}y = d \times y$ for all $y \in \mathbb{R}^3$.

2.3 Potential energy and frame-indifference

Frame-indifferent strain measures can be defined as follows:

$$\hat{\mathbf{u}} = R^{-1} \frac{d}{ds} R, \quad \mathbf{v} = R^{-1} \frac{d}{ds} r \quad (2)$$

Precisely, frame-indifference means invariance under the transformations

$$r \mapsto y + r, \quad y \in \mathbb{R}^3, \quad (3)$$

$$(r, R) \mapsto (Yr, YR), \quad Y \in \text{SO}(3) \quad (4)$$

Thus we obtain six components of strain: the (non-zero) entries of $\hat{\mathbf{u}}$ and \mathbf{v} describe flexure, twist, shear and stretch. Associated with the strains, we have a stress force $n(s)$ and a stress moment $m(s)$ at $r(s)$.

We assume that we deal with a hyperelastic material. In view of (2), we define a function

$$W : TQ \rightarrow \mathbb{R} \quad (5)$$

which models the potential energy density (energy per unit of reference length). The energy density $W = W^{\text{int}} + W^{\text{ext}}$ splits into an internal component W^{int} , associated to the strain vectors \mathbf{u} and \mathbf{v} and an external component W^{ext} associated to external loads such as gravity. It is required that W^{int} is frame-indifferent.

2.4 Equilibrium equations

For hyperelastic materials, the (spatial) forces and moments are given by the constitutive equations

$$n = \frac{\partial W^{\text{int}}}{\partial r'}, \quad m = \sum_{k=1}^3 d^{(k)} \times \frac{\partial W^{\text{int}}}{\partial d^{(k)'}}. \quad (6)$$

It can be shown that Eq. (6) is an equivalent formulation of the hyperelastic constitutive equations Eq. (4.12) in Ref. [10]. The equilibrium configurations of any static system coincide with the critical points of the potential energy. This means, for hyperelastic rods, a (stable or unstable) equilibrium configuration satisfies

$$\delta \int_0^L W \left(q(s), \frac{d}{ds} q(s) \right) ds = 0. \quad (7)$$

Eq. (7) formally corresponds to Hamilton's principle of critical action, yet the physical dimension of the integral is energy and integration is taken with respect to the curve parameter s . The corresponding spatial Euler-Lagrange equations, derived by variational calculus, read

$$P(q)^T \left(\frac{d}{ds} \frac{\partial W}{\partial q'} - \frac{\partial W}{\partial q} \right) = 0 \quad (8)$$

with $q \in Q$ and $P(q)$ as chosen in Sect. 2.2. The details of the derivation are omitted and can be found in Ref. [6] and in Ref. [9]. Exploiting the assumption of frame-indifference and using the expressions in Eq. (6), one can also show that Eq. (8) can be written in the classical form

$$\frac{d}{ds} n + f = 0 \quad (9a)$$

$$\frac{d}{ds} m + \frac{d}{ds} r \times n + l = 0 \quad (9b)$$

where f and l denote the external forces and moments, respectively. Different derivations of these equations can be found in the literature. In Ref. [11] it is shown that they follow from Newton's Law, and in Ref. [10] they are derived from the three-dimensional continuum theory.

2.5 Spatial symmetries and momentum maps

Consider the action of a Lie group G on Q , denoted by $\Phi : G \times Q \rightarrow Q$. Further, let \mathfrak{g} denote the Lie algebra corresponding to G . Φ is called a symmetry if W is invariant under

transformations by Φ . In particular, this implies that for any $\xi \in \mathfrak{g}$, the pointwise transformation of a configuration map q by $\exp(\varepsilon\xi)$ generates a family $(q_\varepsilon)_{\varepsilon \in \mathbb{R}}$

$$q_\varepsilon(s) = \Phi(\exp(\varepsilon\xi), q(s)), \quad s \in [0, L]$$

where all q_ε have the same potential energy. Eq. (3) and Eq. (4) already give two examples of symmetries for Cosserat rods. By Noether's theorem, any symmetry results in a spatially (along the center line of the rod) conserved quantity, called first integral or momentum map. Given an energy density W and a group action Φ , the corresponding momentum map is given by

$$J(q, q') \xi = \left\langle \frac{\partial W}{\partial q'}, \xi_Q(q) \right\rangle, \quad \xi \in \mathfrak{g}$$

where

$$\xi_Q(q) = \left. \frac{d}{d\varepsilon} \Phi(\exp(\varepsilon\xi), q) \right|_{\varepsilon=0} \in T_q Q$$

denotes the infinitesimal generator. It is known, that a Cosserat rod has up to 8 scalar first integrals, depending on its constitutive properties. In the case of frame-indifference (that is, if $f = l = 0$), the stress force n and the momentum quantity $m + r \times n$ are conserved. Moreover if W is invariant under rotations of the director field about $d^{(3)}$ - this feature is termed isotropy - then the twist moment $\langle m, d^{(3)} \rangle$ is conserved.

Remark 2.1 *The rods that can be described by the above theory are uniform because in Eq. (5) W “does not depend explicitly on s ”. As a consequence, the quantity $\langle n, r' \rangle + \langle m, u \rangle - W$ is conserved. In order to describe non-uniform rods and properly define uniformity, we need to extend the domain of W to $\mathbb{R} \times TQ$. In this introductory paper we restrict ourselves to the uniform theory and refer the interested reader to Ref. [1] and Ref. [6].*

3 DISCRETE ROD THEORY

3.1 Discrete kinematics

A discrete configuration (of a rod) is given by a sequence

$$(q_1 \dots q_N), \quad q_i = (r_i, d_i^{(1)}, d_i^{(2)}, d_i^{(3)}) \in Q$$

which is associated with an equidistant grid $\{s_i = (i-1) \cdot h \mid i = 1 \dots N\}$, $h = L/(N-1)$ for a beam of length L with N nodes.

3.2 Potential energy sum and equilibrium equations

The discrete object corresponding to TQ is the product $Q \times Q$ and the potential energies of the $N-1$ segments are modeled by a sequence

$$W_i : Q \times Q \rightarrow \mathbb{R}$$

Remark 3.1 *When constructing numerical methods from discrete mechanics, it is crucial to find a “good” choice for W_i such that the discrete energy sum is a reasonable approximation of the continuous energy integral and inherits additional features, e.g. invariance properties. In particular, for rods, a discretization of the energy integral involves discrete strain vectors $\mathbf{u}_i, \mathbf{v}_i : Q \times Q \rightarrow \mathbb{R}^3$ whose choice is non-canonical.*

Analogously to the continuous case, it is assumed that each $W_i = W_i^{\text{int}} + W_i^{\text{ext}}$ splits into a frame-indifferent component W_i^{int} , the strain energy, and a component W_i^{ext} , the energy induced by external loads.

Discrete forces and moments are defined as follows:

$$n_i = -\frac{\partial W_i^{\text{int}}}{\partial r_i} \left(= \frac{\partial W_i^{\text{int}}}{\partial r_{i+1}} \right), \quad m_i^- = -\sum_{k=1}^3 d_i^{(k)} \times \frac{\partial W_i^{\text{int}}}{\partial d_i^{(k)}}, \quad m_i^+ = \sum_{k=1}^3 d_{i+1}^{(k)} \times \frac{\partial W_i^{\text{int}}}{\partial d_{i+1}^{(k)}} \quad (10)$$

Here, m_i^+ and m_i^- can be thought of as two different discretizations of the stress moment. The fact that W_i^{int} is frame-indifferent implies that there is only one discrete force. Equilibrium configurations are characterized by the variational principle

$$\delta \sum_{i=1}^{N-1} W_i(q_i, q_{i+1}) = 0 \quad (11)$$

which is equivalent to the set

$$P(q_i)^T \left(\frac{\partial W_{i-1}}{\partial q_i} + \frac{\partial W_i}{\partial q_i} \right) = 0 \quad (12)$$

of discrete Euler-Lagrange equations (possibly extended by additional equations corresponding to certain boundary data). It is shown in Ref. [6] that Eq. (12) can alternatively be written as

$$n_i - n_{i-1} + f_i = 0 \quad (13a)$$

$$m_i^- - m_{i-1}^- + (r_i - r_{i-1}) \times n_{i-1} + l_i = 0 \quad (13b)$$

$$m_i^+ - m_{i-1}^+ + (r_{i+1} - r_i) \times n_i + l_i = 0 \quad (13c)$$

where (13b) and (13c) are equivalent. In parallel to the previous section, there exists a discrete version of Noether's theorem.

3.3 Spatial symmetries and momentum maps

Consider a Lie group action $\Phi : G \times Q \rightarrow Q$ which leaves W_i invariant. For any $\xi \in \mathfrak{g}$, we can construct a family

$$q_{i,\varepsilon} = \Phi(\exp(\varepsilon\xi), q_i)$$

of configuration variables with $W_i(q_i, q_{i+1}) = W_i(q_{\varepsilon,i}, q_{\varepsilon,i+1})$. The discrete Noether's theorem (see Ref. [1]) states that in this case, there exists a sequence of momentum maps

$$J_i(q_i, q_{i+1})\xi = -\left\langle \frac{\partial W_i}{\partial q_i}, \xi_Q(q_i) \right\rangle = \left\langle \frac{\partial W_i}{\partial q_{i+1}}, \xi_Q(q_{i+1}) \right\rangle, \quad \xi \in \mathfrak{g}$$

which is conserved along $q_1 \dots q_N$. The J_i can be interpreted as natural discretizations of the four expressions for the continuous momentum maps. By inserting the respective expressions

for ξ_Q we compute

$$J_i = n_i \quad (\text{frame-indifference}) \quad (14)$$

$$J_i = m_i^- + r_i \times n_i = m_i^+ + r_{i+1} \times n_i \quad (\text{frame-indifference}) \quad (15)$$

$$J_i = \left\langle \frac{\partial W_i}{\partial d_{i+1}^{(1)}}, d_{i+1}^{(2)} \right\rangle - \left\langle \frac{\partial W_i}{\partial d_{i+1}^{(2)}}, d_{i+1}^{(1)} \right\rangle \quad (16)$$

$$= \left\langle \frac{\partial W_i}{\partial d_i^{(2)}}, d_i^{(1)} \right\rangle - \left\langle \frac{\partial W_i}{\partial d_i^{(1)}}, d_i^{(2)} \right\rangle \quad (\text{isotropy}) \quad (17)$$

$$J_i = \frac{\partial W_i}{\partial s_{i+1}} = -\frac{\partial W_i}{\partial s_i} \quad (\text{uniformity}) \quad (18)$$

Remark 3.2 For the correct formulation of uniformity it is convenient to allow non-equidistant grids and to define the energy functions on $\mathbb{R} \times Q \times \mathbb{R} \times Q$. For the full treatment we refer again to Ref. [1] and Ref. [6].




Figure 2: Deformed configuration with 11 vertices.

4 DISCRETIZATION AND NUMERICAL RESULTS

4.1 Three-dimensional equilibria

In this section, possible discretizations and their implementations are discussed which fill the discrete mechanics framework from Sect. 3 so that discrete configurations can actually be computed. First, we choose an appropriate quadrature rule for the energy functional where we restrict ourselves to discretizations of the following energy functional:

$$V = \frac{1}{2} \int_0^L \langle \mathbf{u} - \mathbf{u}^0, C_1(\mathbf{u} - \mathbf{u}^0) \rangle ds + \frac{1}{2} \int_0^L \langle \mathbf{v} - \mathbf{v}^0, C_2(\mathbf{v} - \mathbf{v}^0) \rangle ds \quad (19)$$

Here, $\mathbf{u}^0, \mathbf{v}^0 \in \mathbb{R}^3$ describe the predeformed configuration and $C_1, C_2 \in \mathbb{R}^{3 \times 3}$ are symmetric and positive definite matrices, called stiffness matrices. Essentially, this reduces to the task of

finding discrete strain vectors $\mathbf{u}_i, \mathbf{v}_i$ which we present in an ad-hoc manner:

$$\mathbf{u}_i = \frac{2}{h} \frac{1}{1 + \text{trace}(R_i^{-1} R_{i+1})} (R_i^{-1} R_{i+1} - R_{i+1}^{-1} R_i) \quad (20)$$

$$\mathbf{v}_i = \frac{1}{2h} (R_{i+1}^{-1} + R_i^{-1}) (r_{i+1} - r_i) \quad (21)$$

Now, Eq. (19) can be approximated using the midpoint rule.

$$V^d = \frac{1}{2} \sum_{i=1}^{N-1} \langle \mathbf{u}_i - \mathbf{u}_i^0, C_1(\mathbf{u}_i - \mathbf{u}_i^0) \rangle h + \frac{1}{2} \sum_{i=1}^{N-1} \langle \mathbf{v}_i - \mathbf{v}_i^0, C_2(\mathbf{v}_i - \mathbf{v}_i^0) \rangle h \quad (22)$$

Thus, we have constructed a frame-indifferent and consistent discretization of the energy functional.

Remark 4.1 *This discretization is very much the same as a finite element method using linear finite elements and numerical integration via the midpoint rule, see e.g. [12]. However, the factor involving the trace in Eq. (20) is different. Its singularity at the relative rotation between neighboring director triads of π enables the method to cope with relatively large applied momentum loads.*




Figure 3: (a) The discrete forces \mathbf{n}_i . (b) The discrete moments \mathbf{m}_i .

In the following, we treat a boundary value problem, where both ends of a straight rod are clamped. The main focus is on the spatial momentum maps and on convergence properties. We choose boundary data that results in a non-trivial deformation which exhibits non-zero twist, extension, flexure and shear:

$$r_0 = \begin{pmatrix} 0 \\ -0.4 \\ 0 \end{pmatrix}, \quad r_L = \begin{pmatrix} 0 \\ 0.4 \\ 0 \end{pmatrix}, \quad d_0^{(3)} = d_L^{(3)} = \begin{pmatrix} -0.18070 \\ 0.89768 \\ 0.40187 \end{pmatrix}$$

$$d_0^{(1)} = -d_L^{(2)} = \begin{pmatrix} 0.21093 \\ -0.36372 \\ 0.90731 \end{pmatrix}, \quad d_0^{(2)} = d_L^{(1)} = \begin{pmatrix} 0.96065 \\ 0.24872 \\ -0.12363 \end{pmatrix}$$




Figure 4: The discrete momentum maps associated to (a),(b) frame-indifference, (c) isotropy and (d) uniformity on an equidistant grid.

Practically any boundary data would work here because the actual shape of the deformation has no influence on the fact that momentum maps are conserved.

We implement the model given by Eq. (20), (21) and (22) involving diagonal stiffness matrices $C_1 = \text{diag}(EI, EI, GJ)$, $C_2 = \text{diag}(GA, GA, EA)$ and $\mathbf{u}^0 = (0, 0, 0)^T$, $\mathbf{v}^0 = (0, 0, 1)^T$, corresponding to an initially straight rod. The stiffness parameters are $EI = 1$, $GJ = 1$, $GA = 200$ and $EA = 200$. The rod of length $L = 1$ is equidistantly discretized into $N = 11$ material points, thus $h = 0.1$.

We compute the deformed configuration by solving the system in Eq. (12) subject to the constraints $\langle d_i^{(k)}, d_i^{(j)} \rangle = \delta_{kj}$ using a Gauss-Newton iteration (Matlab-function `fsolve`) and a finite-difference approximation of the Jacobi-matrix. The tolerance of the algorithm is set to 10^{-8} . The initial guess is simply a spline generated from the boundary data.

Fig. 2 depicts the deformed configuration with the director frame at each node. The discrete forces $\mathbf{n}_i = C_2(\mathbf{v}_i - \mathbf{v}_i^0)$ and moments $\mathbf{m}_i = C_1(\mathbf{u}_i - \mathbf{u}_i^0)$ are discrete pendants of *material* quantities (see Section 3.1 in Ref. [10]) and are therefore different from the *spatial* forces and moments in Eq. (10). Fig. 3 displays the six components of \mathbf{n}_i and \mathbf{m}_i . Since the stiffness matrices are diagonal, each component is associated to a specific component of strain. For example $(\mathbf{m}_i)_3$ is the twist moment. Note that in the discrete setting, $(\mathbf{m}_i)_3$ is not a momentum map, although as we can see from Fig. 3 (b) that it is “almost” conserved. Fig. 4 shows the four momentum maps mentioned in Sect. 3. We observe that the momentum maps in (a), (b) and (c) are constant up to an error of magnitude 10^{-7} . This number reflects the precision of the iteration algorithm.

Remark 4.2 *The momentum map associated to uniformity is conserved if the grid is chosen in an optimal way. The optimal grid can be determined by an additional set of Euler-Lagrange equations. Since we neglect this aspect here and restrict ourselves to equidistant grids, only seven out of eight possible scalar momentum maps are conserved, confirm Fig. 4 (d).*

For the convergence analysis, a fine discretization with $N = 321$ material points is assumed to be sufficiently precise to serve as a reference solution. We consider convergence of the dis-

crete spacecurve $(r_1 \dots r_N)$ to the reference curve. Here, distances are measured with respect to the norm $\max\{\|r_i\|_2, i = 1 \dots N\}$. In addition, convergence of the director field is analyzed, distances being measured with respect to the norm $\max\{\|R_i\|_F, i = 1 \dots N\}$ using the Frobenius norm $\|\cdot\|_F$. The errorplots obtained from the two-point boundary value problem with $h \in \{\frac{1}{4}, \frac{1}{10}, \frac{1}{40}, \frac{1}{80}\}$ in Fig. 5 show quadratic convergence to the reference configuration. In Ref. [6] we also analyzed convergence to a true analytical solution.




Figure 5: Convergence analysis.

4.2 Two-dimensional equilibria

We consider the two-dimensional example of a hinged frame. An L-shaped extensible and shearable rod is attached at both endpoints such that the tangents are able to move freely (moment free support). This example has previously been discussed in Ref. [12, 13] and all data is taken from there. The length of each leg is $\frac{1}{2}L = 120$ and the stiffness parameters are $GA = 16.62 \cdot 10^6$, $EA = 43.2 \cdot 10^6$, $EI = 14.4 \cdot 10^6$ and $GJ = 11.08 \cdot 10^6$. A vertical force $f = 10^3 \cdot (0, -\lambda)^T$ is applied at position 96 measured from the right upper end.

Motivated by the fact that the interpolation of rotation matrices – appearing e.g. in the discrete strain measures (21) – does not yield proper orthogonal matrices, we modify the discrete rod model by associating the rotation matrices to (the midpoint of) the edges instead of the vertices of the one-dimensional grid. Thus, the discrete configuration comprises only $N - 1$ director frames $R_1 \dots R_{N-1}$ which are located *between* the vertices $r_1 \dots r_N$. While the bending and torsional strains (20) remain formally unchanged, the new expression of shear and elongation strains

$$\mathbf{v}_i = \frac{1}{h} R_i^{-1} (r_{i+1} - r_i) \quad (23)$$

involves only one rotation matrix instead of two adjacent rotation matrices' midpoint. As the problem is only two-dimensional, there are two translational degrees of freedom per node and only one rotational degree of freedom specifying the orientation of an edge. We employ the




Figure 6: (a) Deformation of the hinged L-frame corresponding to the load-level parameters $\lambda_1 = 15$, $\lambda_2 = 18.495$, $\lambda_3 = -9.233$ and $\lambda_4 = 21.014$. (b) The results obtained by Betsch and Steinmann (Ref. [12]).

following reparametrization:

$$\begin{pmatrix} x \\ y \end{pmatrix} \mapsto r = \begin{pmatrix} x \\ y \\ 0 \end{pmatrix}$$

$$\alpha \mapsto R = \begin{pmatrix} 0 & \sin(\alpha) & \cos(\alpha) \\ 0 & -\cos(\alpha) & \sin(\alpha) \\ 1 & 0 & 0 \end{pmatrix}$$

and solve for $x_1 \dots x_N, y_1 \dots y_N, \alpha_1 \dots \alpha_{N-1}$. Note however, that the three-dimensional strains (20) and (23) are used to derive the discrete equilibrium equations.

This buckling problem has multiple equilibria, the two stable equilibria are indicated in Fig. 6 (a) by the dashed line. The equilibria can be used to create clever (deformed) initial configurations from which the configurations corresponding to the load-level parameters $\lambda_1 = 15$, $\lambda_2 = 18.495$, $\lambda_3 = -9.233$ and $\lambda_4 = 21.014$, depicted in Fig. 6 (a), can be obtained directly by solving the discrete equilibrium equations iteratively (again Gauss-Newton iteration in the Matlab-funtion `fsolve` has been used). We compare the results from our discrete mechanics model using $N = 21$ vertices to those obtained by Betsch and Steinmann (Ref. [12]) with ten quadratic finite elements and observe small differences in the configurations with high deformation which are probably due to the different factor used in the strains (20) and of course due to the different types of discretization.

To compute the complete load-displacement curve for the node under load (see Fig. 7), a standard arc-length method (described e.g. in [14]) has been employed. Comparing the curve to that obtained in Ref. [12], one can say that the discrete mechanics method captures the qualitative behavior quite well. The differences have to be expected when comparing different methods in an example with relatively coarse discretization.

The resulting material forces and moments are depicted in Fig. 8. Due to the presence of loading, the problem is not frame-indifferent. However, the change in the discrete momentum

maps in Fig. 9 exactly represents the applied loading (up to the numerical tolerance used to solve the equilibrium equations). Note that this is guaranteed by the discrete mechanics approach independent of the number of nodes in the discrete grid.




Figure 7: Load-displacement curve of the hinged L-frame.




Figure 8: (a) The discrete forces \mathbf{n}_i . (b) The discrete moments \mathbf{m}_i .




Figure 9: The discrete momentum maps do change exactly according to the applied load.

5 CONCLUSIONS

This article presents a short introduction to Cosserat rod theory formulated within the (discrete) Lagrangian mechanics context. Both in the continuous and in the discrete setting, we started from a variational principle from which the theory and solution methods were developed.

By treating a rod as a Lagrangian system on $\mathbb{R}^3 \times \text{SO}(3)$ we obtained the equilibrium equations as Euler-Lagrange equations corresponding to the potential energy functional. Noether's theorem provides a constructive tool and a complete mathematical theory to identify and compute first integrals. This is especially useful in the discrete setting, where the expressions for the discrete moments can be quite complicated. Moreover, we were able to show that a “natural” discretization (derivatives are replaced by differences) of the equilibrium equations is always possible. Various boundary conditions can be implemented very easily (some other numerical tools are doing quite hard on boundary value problems).

Our numerical experiments showed that discrete momentum maps are conserved with high accuracy, which is the benefit of the discrete mechanics approach. The theory from Sect. 3 can be extended to non-uniform rods and then, by construction, deals with non-equidistant grids. However, this leads to an extended set of discrete Euler-Lagrange equations and it becomes much harder to find solution strategies. This aspect is subject to current research. In addition, a more detailed comparison with the finite element approach would be interesting.

6 ACKNOWLEDGEMENTS

We would like to thank P. Betsch for providing the data used for comparison in Sect. 4.2.

REFERENCES

- [1] J. E. Marsden, M. West. Discrete mechanics and variational integrators. *Acta Numerica*, 357–514, 2001.
- [2] S. Kehrbaum, J. H. Maddocks. Elastic rods, rigid bodies, quaternions and the last quadrature. *Philosophical Transactions of the Royal Society of London, Series A*, **355**(1732), 2117–2136, 1997.

- [3] N. Chouaieb, J. H. Maddocks. Kirchhoff's problem of helical equilibria of uniform rods, *Journal of Elasticity*, **77**, 221–247, 2004.
- [4] A. I. Bobenko, Y. B. Suris. Discrete time Lagrangian mechanics on Lie groups, with an application on the Lagrange top. *Communications in Mathematical Physics* 1999, **204**, 147–188, 1999.
- [5] M. F. Dixon. *Geometric integrators for continuum dynamics*. PhD thesis, Imperial College, London, 2007.
- [6] P. Jung. *A discrete mechanics approach to Cosserat rod theory – Static equilibria*. Diploma thesis, University of Kaiserslautern, 2009.
- [7] P. Betsch. The discrete null space method for the energy consistent integration of constrained mechanical systems. Part I: Holonomic constraints. *Computer Methods in Applied Mechanics and Engineering*, **194**, 5159–5190, 2005.
- [8] S. Leyendecker, P. Betsch, P. Steinmann. The discrete null space method for the energy consistent integration of constrained mechanical systems. Part III: Flexible multibody dynamics. *Multibody System Dynamics*, **19**, 45–72, 2008.
- [9] S. Leyendecker, J. E. Marsden, M. Ortiz. Variational integrators for constrained dynamical systems. *Zeitschrift für Angewandte Mathematik und Mechanik*, **88**(9), 677–708, 2008.
- [10] J. C. Simo. A finite strain beam formulation. The three-dimensional dynamic problem - Part I. *Computer Methods in Applied Mechanics and Engineering*, **49**, 55–70, 1985.
- [11] S. S. Antman. *Nonlinear Problems of Elasticity* (2nd edn). Springer, 2005.
- [12] P. Betsch, P. Steinmann. Frame-indifferent beam finite elements based upon the geometrically exact beam theory. *International Journal of Numerical Methods in Engineering*, **54**, 1775–1788, 2002.
- [13] J. C. Simo, L. Vu-Quoc. A three-dimensional finite-strain rod model - Part II Computational aspects. *Computer Methods in Applied Mechanics and Engineering*, **58**, 79–116, 1986.
- [14] M.A. Crisfield. *Non-linear Finite Element Analysis of Solids and Structures. Volume I: Essentials*. Wiley, 1991.

Published reports of the Fraunhofer ITWM

The PDF-files of the following reports are available under:

www.itwm.fraunhofer.de/de/zentral__berichte/berichte

1. D. Hietel, K. Steiner, J. Struckmeier
A Finite - Volume Particle Method for Compressible Flows
(19 pages, 1998)
2. M. Feldmann, S. Seibold
Damage Diagnosis of Rotors: Application of Hilbert Transform and Multi-Hypothesis Testing
Keywords: Hilbert transform, damage diagnosis, Kalman filtering, non-linear dynamics
(23 pages, 1998)
3. Y. Ben-Haim, S. Seibold
Robust Reliability of Diagnostic Multi-Hypothesis Algorithms: Application to Rotating Machinery
Keywords: Robust reliability, convex models, Kalman filtering, multi-hypothesis diagnosis, rotating machinery, crack diagnosis
(24 pages, 1998)
4. F.-Th. Lentès, N. Siedow
Three-dimensional Radiative Heat Transfer in Glass Cooling Processes
(23 pages, 1998)
5. A. Klar, R. Wegener
A hierarchy of models for multilane vehicular traffic
Part I: Modeling
(23 pages, 1998)

Part II: Numerical and stochastic investigations
(17 pages, 1998)
6. A. Klar, N. Siedow
Boundary Layers and Domain Decomposition for Radiative Heat Transfer and Diffusion Equations: Applications to Glass Manufacturing Processes
(24 pages, 1998)
7. I. Choquet
Heterogeneous catalysis modelling and numerical simulation in rarified gas flows
Part I: Coverage locally at equilibrium
(24 pages, 1998)
8. J. Ohser, B. Steinbach, C. Lang
Efficient Texture Analysis of Binary Images
(17 pages, 1998)
9. J. Orlik
Homogenization for viscoelasticity of the integral type with aging and shrinkage
(20 pages, 1998)
10. J. Mohring
Helmholtz Resonators with Large Aperture
(21 pages, 1998)
11. H. W. Hamacher, A. Schöbel
On Center Cycles in Grid Graphs
(15 pages, 1998)

12. H. W. Hamacher, K.-H. Küfer
Inverse radiation therapy planning - a multiple objective optimisation approach
(14 pages, 1999)
13. C. Lang, J. Ohser, R. Hilfer
On the Analysis of Spatial Binary Images
(20 pages, 1999)
14. M. Junk
On the Construction of Discrete Equilibrium Distributions for Kinetic Schemes
(24 pages, 1999)
15. M. Junk, S. V. Raghurame Rao
A new discrete velocity method for Navier-Stokes equations
(20 pages, 1999)
16. H. Neunzert
Mathematics as a Key to Key Technologies
(39 pages (4 PDF-Files), 1999)
17. J. Ohser, K. Sandau
Considerations about the Estimation of the Size Distribution in Wicksell's Corpuscle Problem
(18 pages, 1999)
18. E. Carrizosa, H. W. Hamacher, R. Klein, S. Nickel
Solving nonconvex planar location problems by finite dominating sets
Keywords: Continuous Location, Polyhedral Gauges, Finite Dominating Sets, Approximation, Sandwich Algorithm, Greedy Algorithm
(19 pages, 2000)
19. A. Becker
A Review on Image Distortion Measures
Keywords: Distortion measure, human visual system
(26 pages, 2000)
20. H. W. Hamacher, M. Labbé, S. Nickel, T. Sonneborn
Polyhedral Properties of the Uncapacitated Multiple Allocation Hub Location Problem
Keywords: integer programming, hub location, facility location, valid inequalities, facets, branch and cut
(21 pages, 2000)
21. H. W. Hamacher, A. Schöbel
Design of Zone Tariff Systems in Public Transportation
(30 pages, 2001)
22. D. Hietel, M. Junk, R. Keck, D. Teleaga
The Finite-Volume-Particle Method for Conservation Laws
(16 pages, 2001)
23. T. Bender, H. Hennes, J. Kalcsics, M. T. Melo, S. Nickel
Location Software and Interface with GIS and Supply Chain Management
Keywords: facility location, software development, geographical information systems, supply chain management
(48 pages, 2001)
24. H. W. Hamacher, S. A. Tjandra
Mathematical Modelling of Evacuation Problems: A State of Art
(44 pages, 2001)

25. J. Kuhnert, S. Tiwari
Grid free method for solving the Poisson equation
Keywords: Poisson equation, Least squares method, Grid free method
(19 pages, 2001)
26. T. Götz, H. Rave, D. Reinelt-Bitzer, K. Steiner, H. Tiemeier
Simulation of the fiber spinning process
Keywords: Melt spinning, fiber model, Lattice Boltzmann, CFD
(19 pages, 2001)
27. A. Zemitis
On interaction of a liquid film with an obstacle
Keywords: impinging jets, liquid film, models, numerical solution, shape
(22 pages, 2001)
28. I. Ginzburg, K. Steiner
Free surface lattice-Boltzmann method to model the filling of expanding cavities by Bingham Fluids
Keywords: Generalized LBE, free-surface phenomena, interface boundary conditions, filling processes, Bingham viscoplastic model, regularized models
(22 pages, 2001)
29. H. Neunzert
»Denn nichts ist für den Menschen als Menschen etwas wert, was er nicht mit Leidenschaft tun kann«
Vortrag anlässlich der Verleihung des Akademiepreises des Landes Rheinland-Pfalz am 21.11.2001
Keywords: Lehre, Forschung, angewandte Mathematik, Mehrskalalanalyse, Strömungsmechanik
(18 pages, 2001)
30. J. Kuhnert, S. Tiwari
Finite pointset method based on the projection method for simulations of the incompressible Navier-Stokes equations
Keywords: Incompressible Navier-Stokes equations, Meshfree method, Projection method, Particle scheme, Least squares approximation
AMS subject classification: 76D05, 76M28
(25 pages, 2001)
31. R. Korn, M. Krekel
Optimal Portfolios with Fixed Consumption or Income Streams
Keywords: Portfolio optimisation, stochastic control, HJB equation, discretisation of control problems
(23 pages, 2002)
32. M. Krekel
Optimal portfolios with a loan dependent credit spread
Keywords: Portfolio optimisation, stochastic control, HJB equation, credit spread, log utility, power utility, non-linear wealth dynamics
(25 pages, 2002)
33. J. Ohser, W. Nagel, K. Schladitz
The Euler number of discretized sets – on the choice of adjacency in homogeneous lattices
Keywords: image analysis, Euler number, neighborhood relationships, cuboidal lattice
(32 pages, 2002)
34. I. Ginzburg, K. Steiner
Lattice Boltzmann Model for Free-Surface flow and Its Application to Filling Process in Casting

Keywords: Lattice Boltzmann models; free-surface phenomena; interface boundary conditions; filling processes; injection molding; volume of fluid method; interface boundary conditions; advection-schemes; up-wind-schemes
(54 pages, 2002)

35. M. Günther, A. Klar, T. Materne, R. Wegener

Multivalued fundamental diagrams and stop and go waves for continuum traffic equations

Keywords: traffic flow, macroscopic equations, kinetic derivation, multivalued fundamental diagram, stop and go waves, phase transitions
(25 pages, 2002)

36. S. Feldmann, P. Lang, D. Prätzel-Wolters
Parameter influence on the zeros of network determinants

Keywords: Networks, Equicofactor matrix polynomials, Realization theory, Matrix perturbation theory
(30 pages, 2002)

37. K. Koch, J. Ohser, K. Schladitz
Spectral theory for random closed sets and estimating the covariance via frequency space

Keywords: Random set, Bartlett spectrum, fast Fourier transform, power spectrum
(28 pages, 2002)

38. D. d'Humières, I. Ginzburg

Multi-reflection boundary conditions for lattice Boltzmann models

Keywords: lattice Boltzmann equation, boundary conditions, bounce-back rule, Navier-Stokes equation
(72 pages, 2002)

39. R. Korn

Elementare Finanzmathematik

Keywords: Finanzmathematik, Aktien, Optionen, Portfolio-Optimierung, Börse, Lehrerweiterbildung, Mathematikunterricht
(98 pages, 2002)

40. J. Kallrath, M. C. Müller, S. Nickel

Batch Presorting Problems: Models and Complexity Results

Keywords: Complexity theory, Integer programming, Assignment, Logistics
(19 pages, 2002)

41. J. Linn

On the frame-invariant description of the phase space of the Folgar-Tucker equation

Key words: fiber orientation, Folgar-Tucker equation, injection molding
(5 pages, 2003)

42. T. Hanne, S. Nickel

A Multi-Objective Evolutionary Algorithm for Scheduling and Inspection Planning in Software Development Projects

Key words: multiple objective programming, project management and scheduling, software development, evolutionary algorithms, efficient set
(29 pages, 2003)

43. T. Bortfeld, K.-H. Küfer, M. Monz, A. Scherrer, C. Thieke, H. Trinkaus

Intensity-Modulated Radiotherapy - A Large Scale Multi-Criteria Programming Problem

Keywords: multiple criteria optimization, representative systems of Pareto solutions, adaptive triangulation, clustering and disaggregation techniques, visualization of Pareto solutions, medical physics, external beam radiotherapy planning, intensity modulated radiotherapy
(31 pages, 2003)

44. T. Halfmann, T. Wichmann

Overview of Symbolic Methods in Industrial Analog Circuit Design

Keywords: CAD, automated analog circuit design, symbolic analysis, computer algebra, behavioral modeling, system simulation, circuit sizing, macro modeling, differential-algebraic equations, index
(17 pages, 2003)

45. S. E. Mikhailov, J. Orlik

Asymptotic Homogenisation in Strength and Fatigue Durability Analysis of Composites

Keywords: multiscale structures, asymptotic homogenization, strength, fatigue, singularity, non-local conditions
(14 pages, 2003)

46. P. Domínguez-Marín, P. Hansen, N. Mladenović, S. Nickel

Heuristic Procedures for Solving the Discrete Ordered Median Problem

Keywords: genetic algorithms, variable neighborhood search, discrete facility location
(31 pages, 2003)

47. N. Boland, P. Domínguez-Marín, S. Nickel, J. Puerto

Exact Procedures for Solving the Discrete Ordered Median Problem

Keywords: discrete location, Integer programming
(41 pages, 2003)

48. S. Feldmann, P. Lang

Padé-like reduction of stable discrete linear systems preserving their stability

Keywords: Discrete linear systems, model reduction, stability, Hankel matrix, Stein equation
(16 pages, 2003)

49. J. Kallrath, S. Nickel

A Polynomial Case of the Batch Presorting Problem

Keywords: batch presorting problem, online optimization, competitive analysis, polynomial algorithms, logistics
(17 pages, 2003)

50. T. Hanne, H. L. Trinkaus

knowCube for MCDM – Visual and Interactive Support for Multicriteria Decision Making

Key words: Multicriteria decision making, knowledge management, decision support systems, visual interfaces, interactive navigation, real-life applications.
(26 pages, 2003)

51. O. Iliev, V. Laptev

On Numerical Simulation of Flow Through Oil Filters

Keywords: oil filters, coupled flow in plain and porous media, Navier-Stokes, Brinkman, numerical simulation
(8 pages, 2003)

52. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On a Multigrid Adaptive Refinement Solver for Saturated Non-Newtonian Flow in Porous Media

Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian flow in porous media
(17 pages, 2003)

53. S. Kruse

On the Pricing of Forward Starting Options under Stochastic Volatility

Keywords: Option pricing, forward starting options, Heston model, stochastic volatility, cliquet options
(11 pages, 2003)

54. O. Iliev, D. Stoyanov

Multigrid – adaptive local refinement solver for incompressible flows

Keywords: Navier-Stokes equations, incompressible flow, projection-type splitting, SIMPLE, multigrid methods, adaptive local refinement, lid-driven flow in a cavity
(37 pages, 2003)

55. V. Starikovicius

The multiphase flow and heat transfer in porous media

Keywords: Two-phase flow in porous media, various formulations, global pressure, multiphase mixture model, numerical simulation
(30 pages, 2003)

56. P. Lang, A. Sarishvili, A. Wirsén

Blocked neural networks for knowledge extraction in the software development process

Keywords: Blocked Neural Networks, Nonlinear Regression, Knowledge Extraction, Code Inspection
(21 pages, 2003)

57. H. Knaf, P. Lang, S. Zeiser

Diagnosis aiding in Regulation Thermography using Fuzzy Logic

Keywords: fuzzy logic, knowledge representation, expert system
(22 pages, 2003)

58. M. T. Melo, S. Nickel, F. Saldanha da Gama

Largescale models for dynamic multi-commodity capacitated facility location

Keywords: supply chain management, strategic planning, dynamic location, modeling
(40 pages, 2003)

59. J. Orlik

Homogenization for contact problems with periodically rough surfaces

Keywords: asymptotic homogenization, contact problems
(28 pages, 2004)

60. A. Scherrer, K.-H. Küfer, M. Monz, F. Alonso, T. Bortfeld

IMRT planning on adaptive volume structures – a significant advance of computational complexity

Keywords: Intensity-modulated radiation therapy (IMRT), inverse treatment planning, adaptive volume structures, hierarchical clustering, local refinement, adaptive clustering, convex programming, mesh generation, multi-grid methods
(24 pages, 2004)

61. D. Kehrwald

Parallel lattice Boltzmann simulation of complex flows

Keywords: Lattice Boltzmann methods, parallel computing, microstructure simulation, virtual material design, pseudo-plastic fluids, liquid composite moulding
(12 pages, 2004)

62. O. Iliev, J. Linn, M. Moog, D. Niedziela, V. Starikovicius

On the Performance of Certain Iterative Solvers for Coupled Systems Arising in Discretization of Non-Newtonian Flow Equations

Keywords: Performance of iterative solvers, Preconditioners, Non-Newtonian flow
(17 pages, 2004)

63. R. Ciegis, O. Iliev, S. Rief, K. Steiner

On Modelling and Simulation of Different Regimes for Liquid Polymer Moulding

Keywords: Liquid Polymer Moulding, Modelling, Simulation, Infiltration, Front Propagation, non-Newtonian flow in porous media
(43 pages, 2004)

64. T. Hanne, H. Neu
Simulating Human Resources in Software Development Processes
Keywords: Human resource modeling, software process, productivity, human factors, learning curve
(14 pages, 2004)

65. O. Iliev, A. Mikelic, P. Popov
Fluid structure interaction problems in deformable porous media: Toward permeability of deformable porous media
Keywords: fluid-structure interaction, deformable porous media, upscaling, linear elasticity, stokes, finite elements
(28 pages, 2004)

66. F. Gaspar, O. Iliev, F. Lisbona, A. Naumovich, P. Vabishchevich
On numerical solution of 1-D poroelasticity equations in a multilayered domain
Keywords: poroelasticity, multilayered material, finite volume discretization, MAC type grid
(41 pages, 2004)

67. J. Ohser, K. Schladitz, K. Koch, M. Nöthe
Diffraction by image processing and its application in materials science
Keywords: porous microstructure, image analysis, random set, fast Fourier transform, power spectrum, Bartlett spectrum
(13 pages, 2004)

68. H. Neunzert
Mathematics as a Technology: Challenges for the next 10 Years
Keywords: applied mathematics, technology, modelling, simulation, visualization, optimization, glass processing, spinning processes, fiber-fluid interaction, turbulence effects, topological optimization, multicriteria optimization, Uncertainty and Risk, financial mathematics, Malliavin calculus, Monte-Carlo methods, virtual material design, filtration, bio-informatics, system biology
(29 pages, 2004)

69. R. Ewing, O. Iliev, R. Lazarov, A. Naumovich
On convergence of certain finite difference discretizations for 1D poroelasticity interface problems
Keywords: poroelasticity, multilayered material, finite volume discretizations, MAC type grid, error estimates
(26 pages, 2004)

70. W. Dörfler, O. Iliev, D. Stoyanov, D. Vassileva
On Efficient Simulation of Non-Newtonian Flow in Saturated Porous Media with a Multigrid Adaptive Refinement Solver
Keywords: Nonlinear multigrid, adaptive refinement, non-Newtonian in porous media
(25 pages, 2004)

71. J. Kalcsics, S. Nickel, M. Schröder
Towards a Unified Territory Design Approach – Applications, Algorithms and GIS Integration
Keywords: territory design, political districting, sales territory alignment, optimization algorithms, Geographical Information Systems
(40 pages, 2005)

72. K. Schladitz, S. Peters, D. Reinelt-Bitzer, A. Wiegmann, J. Ohser
Design of acoustic trim based on geometric modeling and flow simulation for non-woven

Keywords: random system of fibers, Poisson line process, flow resistivity, acoustic absorption, Lattice-Boltzmann method, non-woven
(21 pages, 2005)

73. V. Rutka, A. Wiegmann
Explicit Jump Immersed Interface Method for virtual material design of the effective elastic moduli of composite materials
Keywords: virtual material design, explicit jump immersed interface method, effective elastic moduli, composite materials
(22 pages, 2005)

74. T. Hanne
Eine Übersicht zum Scheduling von Baustellen
Keywords: Projektplanung, Scheduling, Bauplanung, Bauindustrie
(32 pages, 2005)

75. J. Linn
The Folgar-Tucker Model as a Differential Algebraic System for Fiber Orientation Calculation
Keywords: fiber orientation, Folgar-Tucker model, invariants, algebraic constraints, phase space, trace stability
(15 pages, 2005)

76. M. Speckert, K. Dreßler, H. Mauch, A. Lion, G. J. Wierda
Simulation eines neuartigen Prüfsystems für Achserproben durch MKS-Modellierung einschließlich Regelung
Keywords: virtual test rig, suspension testing, multibody simulation, modeling hexapod test rig, optimization of test rig configuration
(20 pages, 2005)

77. K.-H. Küfer, M. Monz, A. Scherrer, P. Süß, F. Alonso, A. S. A. Sultan, Th. Bortfeld, D. Craft, Chr. Thieke
Multicriteria optimization in intensity modulated radiotherapy planning
Keywords: multicriteria optimization, extreme solutions, real-time decision making, adaptive approximation schemes, clustering methods, IMRT planning, reverse engineering
(51 pages, 2005)

78. S. Amstutz, H. Andrä
A new algorithm for topology optimization using a level-set method
Keywords: shape optimization, topology optimization, topological sensitivity, level-set
(22 pages, 2005)

79. N. Ettrich
Generation of surface elevation models for urban drainage simulation
Keywords: Flooding, simulation, urban elevation models, laser scanning
(22 pages, 2005)

80. H. Andrä, J. Linn, I. Matei, I. Shklyar, K. Steiner, E. Teichmann
OPTCAST – Entwicklung adäquater Strukturoptimierungsverfahren für Gießereien
Technischer Bericht (KURZFASSUNG)
Keywords: Topologieoptimierung, Level-Set-Methode, Gießprozesssimulation, Gießtechnische Restriktionen, CAE-Kette zur Strukturoptimierung
(77 pages, 2005)

81. N. Marheineke, R. Wegener
Fiber Dynamics in Turbulent Flows Part I: General Modeling Framework

Keywords: fiber-fluid interaction; Cosserat rod; turbulence modeling; Kolmogorov's energy spectrum; double-velocity correlations; differentiable Gaussian fields
(20 pages, 2005)

Part II: Specific Taylor Drag
Keywords: flexible fibers; $k-\varepsilon$ turbulence model; fiber-turbulence interaction scales; air drag; random Gaussian aerodynamic force; white noise; stochastic differential equations; ARMA process
(18 pages, 2005)

82. C. H. Lampert, O. Wirjadi
An Optimal Non-Orthogonal Separation of the Anisotropic Gaussian Convolution Filter
Keywords: Anisotropic Gaussian filter, linear filtering, orientation space, nD image processing, separable filters
(25 pages, 2005)

83. H. Andrä, D. Stoyanov
Error indicators in the parallel finite element solver for linear elasticity DDFEM
Keywords: linear elasticity, finite element method, hierarchical shape functions, domain decomposition, parallel implementation, a posteriori error estimates
(21 pages, 2006)

84. M. Schröder, I. Solchenbach
Optimization of Transfer Quality in Regional Public Transit
Keywords: public transit, transfer quality, quadratic assignment problem
(16 pages, 2006)

85. A. Naumovich, F. J. Gaspar
On a multigrid solver for the three-dimensional Biot poroelasticity system in multilayered domains
Keywords: poroelasticity, interface problem, multigrid, operator-dependent prolongation
(11 pages, 2006)

86. S. Panda, R. Wegener, N. Marheineke
Slender Body Theory for the Dynamics of Curved Viscous Fibers
Keywords: curved viscous fibers; fluid dynamics; Navier-Stokes equations; free boundary value problem; asymptotic expansions; slender body theory
(14 pages, 2006)

87. E. Ivanov, H. Andrä, A. Kudryavtsev
Domain Decomposition Approach for Automatic Parallel Generation of Tetrahedral Grids
Key words: Grid Generation, Unstructured Grid, Delaunay Triangulation, Parallel Programming, Domain Decomposition, Load Balancing
(18 pages, 2006)

88. S. Tiwari, S. Antonov, D. Hietel, J. Kuhnert, R. Wegener
A Meshfree Method for Simulations of Interactions between Fluids and Flexible Structures
Key words: Meshfree Method, FPM, Fluid Structure Interaction, Sheet of Paper, Dynamical Coupling
(16 pages, 2006)

89. R. Ciegis, O. Iliev, V. Starikovicius, K. Steiner
Numerical Algorithms for Solving Problems of Multiphase Flows in Porous Media
Keywords: nonlinear algorithms, finite-volume method, software tools, porous media, flows
(16 pages, 2006)

90. D. Niedziela, O. Iliev, A. Latz
On 3D Numerical Simulations of Viscoelastic Fluids

Keywords: non-Newtonian fluids, anisotropic viscosity, integral constitutive equation
(18 pages, 2006)

91. A. Winterfeld

Application of general semi-infinite Programming to Lapidary Cutting Problems

Keywords: large scale optimization, nonlinear programming, general semi-infinite optimization, design centering, clustering
(26 pages, 2006)

92. J. Orlik, A. Ostrovska

Space-Time Finite Element Approximation and Numerical Solution of Hereditary Linear Viscoelasticity Problems

Keywords: hereditary viscoelasticity; kern approximation by interpolation; space-time finite element approximation, stability and a priori estimate
(24 pages, 2006)

93. V. Rutka, A. Wiegmann, H. Andrä

EJIM for Calculation of effective Elastic Moduli in 3D Linear Elasticity

Keywords: Elliptic PDE, linear elasticity, irregular domain, finite differences, fast solvers, effective elastic moduli
(24 pages, 2006)

94. A. Wiegmann, A. Zemitis

EJ-HEAT: A Fast Explicit Jump Harmonic Averaging Solver for the Effective Heat Conductivity of Composite Materials

Keywords: Stationary heat equation, effective thermal conductivity, explicit jump, discontinuous coefficients, virtual material design, microstructure simulation, EJ-HEAT
(21 pages, 2006)

95. A. Naumovich

On a finite volume discretization of the three-dimensional Biot poroelasticity system in multilayered domains

Keywords: Biot poroelasticity system, interface problems, finite volume discretization, finite difference method
(21 pages, 2006)

96. M. Krekel, J. Wenzel

A unified approach to Credit Default Swap-tion and Constant Maturity Credit Default Swap valuation

Keywords: LIBOR market model, credit risk, Credit Default Swaption, Constant Maturity Credit Default Swap-method
(43 pages, 2006)

97. A. Dreyer

Interval Methods for Analog Circuits

Keywords: interval arithmetic, analog circuits, tolerance analysis, parametric linear systems, frequency response, symbolic analysis, CAD, computer algebra
(36 pages, 2006)

98. N. Weigel, S. Weihe, G. Bitsch, K. Dreßler

Usage of Simulation for Design and Optimization of Testing

Keywords: Vehicle test rigs, MBS, control, hydraulics, testing philosophy
(14 pages, 2006)

99. H. Lang, G. Bitsch, K. Dreßler, M. Speckert

Comparison of the solutions of the elastic and elastoplastic boundary value problems

Keywords: Elastic BVP, elastoplastic BVP, variational inequalities, rate-independency, hysteresis, linear kinematic hardening, stop- and play-operator
(21 pages, 2006)

100. M. Speckert, K. Dreßler, H. Mauch

MBS Simulation of a hexapod based suspension test rig

Keywords: Test rig, MBS simulation, suspension, hydraulics, controlling, design optimization
(12 pages, 2006)

101. S. Azizi Sultan, K.-H. Küfer

A dynamic algorithm for beam orientations in multicriteria IMRT planning

Keywords: radiotherapy planning, beam orientation optimization, dynamic approach, evolutionary algorithm, global optimization
(14 pages, 2006)

102. T. Götz, A. Klar, N. Marheineke, R. Wegener

A Stochastic Model for the Fiber Lay-down Process in the Nonwoven Production

Keywords: fiber dynamics, stochastic Hamiltonian system, stochastic averaging
(17 pages, 2006)

103. Ph. Süß, K.-H. Küfer

Balancing control and simplicity: a variable aggregation method in intensity modulated radiation therapy planning

Keywords: IMRT planning, variable aggregation, clustering methods
(22 pages, 2006)

104. A. Beaudry, G. Laporte, T. Melo, S. Nickel

Dynamic transportation of patients in hospitals

Keywords: in-house hospital transportation, dial-a-ride, dynamic mode, tabu search
(37 pages, 2006)

105. Th. Hanne

Applying multiobjective evolutionary algorithms in industrial projects

Keywords: multiobjective evolutionary algorithms, discrete optimization, continuous optimization, electronic circuit design, semi-infinite programming, scheduling
(18 pages, 2006)

106. J. Franke, S. Halim

Wild bootstrap tests for comparing signals and images

Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression
(13 pages, 2007)

107. Z. Drezner, S. Nickel

Solving the ordered one-median problem in the plane

Keywords: planar location, global optimization, ordered median, big triangle small triangle method, bounds, numerical experiments
(21 pages, 2007)

108. Th. Götz, A. Klar, A. Unterreiter, R. Wegener

Numerical evidence for the non-existing of solutions of the equations describing rotational fiber spinning

Keywords: rotational fiber spinning, viscous fibers, boundary value problem, existence of solutions
(11 pages, 2007)

109. Ph. Süß, K.-H. Küfer

Smooth intensity maps and the Bortfeld-Boyer sequencer

Keywords: probabilistic analysis, intensity modulated radiotherapy treatment (IMRT), IMRT plan application, step-and-shoot sequencing
(8 pages, 2007)

110. E. Ivanov, O. Gluchshenko, H. Andrä, A. Kudryavtsev

Parallel software tool for decomposing and meshing of 3d structures

Keywords: a-priori domain decomposition, unstructured grid, Delaunay mesh generation
(14 pages, 2007)

111. O. Iliev, R. Lazarov, J. Willems

Numerical study of two-grid preconditioners for 1d elliptic problems with highly oscillating discontinuous coefficients

Keywords: two-grid algorithm, oscillating coefficients, preconditioner
(20 pages, 2007)

112. L. Bonilla, T. Götz, A. Klar, N. Marheineke, R. Wegener

Hydrodynamic limit of the Fokker-Planck-equation describing fiber lay-down processes

Keywords: stochastic differential equations, Fokker-Planck equation, asymptotic expansion, Ornstein-Uhlenbeck process
(17 pages, 2007)

113. S. Rief

Modeling and simulation of the pressing section of a paper machine

Keywords: paper machine, computational fluid dynamics, porous media
(41 pages, 2007)

114. R. Ciegis, O. Iliev, Z. Lakdawala

On parallel numerical algorithms for simulating industrial filtration problems

Keywords: Navier-Stokes-Brinkmann equations, finite volume discretization method, SIMPLE, parallel computing, data decomposition method
(24 pages, 2007)

115. N. Marheineke, R. Wegener

Dynamics of curved viscous fibers with surface tension

Keywords: Slender body theory, curved viscous bers with surface tension, free boundary value problem
(25 pages, 2007)

116. S. Feth, J. Franke, M. Speckert

Resampling-Methoden zur mse-Korrektur und Anwendungen in der Betriebsfestigkeit

Keywords: Weibull, Bootstrap, Maximum-Likelihood, Betriebsfestigkeit
(16 pages, 2007)

117. H. Knaf

Kernel Fisher discriminant functions – a concise and rigorous introduction

Keywords: wild bootstrap test, texture classification, textile quality control, defect detection, kernel estimate, nonparametric regression
(30 pages, 2007)

118. O. Iliev, I. Rybak

On numerical upscaling for flows in heterogeneous porous media

Keywords: numerical upscaling, heterogeneous porous media, single phase flow, Darcy's law, multiscale problem, effective permeability, multipoint flux approximation, anisotropy
(17 pages, 2007)

119. O. Iliev, I. Rybak

On approximation property of multipoint flux approximation method

Keywords: *Multipoint flux approximation, finite volume method, elliptic equation, discontinuous tensor coefficients, anisotropy*
(15 pages, 2007)

120. O. Iliev, I. Rybak, J. Willems
On upscaling heat conductivity for a class of industrial problems

Keywords: *Multiscale problems, effective heat conductivity, numerical upscaling, domain decomposition*
(21 pages, 2007)

121. R. Ewing, O. Iliev, R. Lazarov, I. Rybak
On two-level preconditioners for flow in porous media

Keywords: *Multiscale problem, Darcy's law, single phase flow, anisotropic heterogeneous porous media, numerical upscaling, multigrid, domain decomposition, efficient preconditioner*
(18 pages, 2007)

122. M. Brickenstein, A. Dreyer
POLYBORI: A Gröbner basis framework for Boolean polynomials

Keywords: *Gröbner basis, formal verification, Boolean polynomials, algebraic cryptanalysis, satisfiability*
(23 pages, 2007)

123. O. Wirjadi
Survey of 3d image segmentation methods

Keywords: *image processing, 3d, image segmentation, binarization*
(20 pages, 2007)

124. S. Zeytun, A. Gupta
A Comparative Study of the Vasicek and the CIR Model of the Short Rate

Keywords: *interest rates, Vasicek model, CIR-model, calibration, parameter estimation*
(17 pages, 2007)

125. G. Hanselmann, A. Sarishvili
Heterogeneous redundancy in software quality prediction using a hybrid Bayesian approach

Keywords: *reliability prediction, fault prediction, non-homogeneous poisson process, Bayesian model averaging*
(17 pages, 2007)

126. V. Maag, M. Berger, A. Winterfeld, K.-H. Küfer
A novel non-linear approach to minimal area rectangular packing

Keywords: *rectangular packing, non-overlapping constraints, non-linear optimization, regularization, relaxation*
(18 pages, 2007)

127. M. Monz, K.-H. Küfer, T. Bortfeld, C. Thieke
Pareto navigation – systematic multi-criteria-based IMRT treatment plan determination

Keywords: *convex, interactive multi-objective optimization, intensity modulated radiotherapy planning*
(15 pages, 2007)

128. M. Krause, A. Scherrer
On the role of modeling parameters in IMRT plan optimization

Keywords: *intensity-modulated radiotherapy (IMRT), inverse IMRT planning, convex optimization, sensitivity analysis, elasticity, modeling parameters, equivalent uniform dose (EUD)*
(18 pages, 2007)

129. A. Wiegmann
Computation of the permeability of porous materials from their microstructure by FFF-Stokes

Keywords: *permeability, numerical homogenization, fast Stokes solver*
(24 pages, 2007)

130. T. Melo, S. Nickel, F. Saldanha da Gama
Facility Location and Supply Chain Management – A comprehensive review

Keywords: *facility location, supply chain management, network design*
(54 pages, 2007)

131. T. Hanne, T. Melo, S. Nickel
Bringing robustness to patient flow management through optimized patient transports in hospitals

Keywords: *Dial-a-Ride problem, online problem, case study, tabu search, hospital logistics*
(23 pages, 2007)

132. R. Ewing, O. Iliev, R. Lazarov, I. Rybak, J. Willems
An efficient approach for upscaling properties of composite materials with high contrast of coefficients

Keywords: *effective heat conductivity, permeability of fractured porous media, numerical upscaling, fibrous insulation materials, metal foams*
(16 pages, 2008)

133. S. Gelareh, S. Nickel
New approaches to hub location problems in public transport planning

Keywords: *integer programming, hub location, transportation, decomposition, heuristic*
(25 pages, 2008)

134. G. Thömmes, J. Becker, M. Junk, A. K. Vaikuntam, D. Kehrwald, A. Klar, K. Steiner, A. Wiegmann
A Lattice Boltzmann Method for immiscible multiphase flow simulations using the Level Set Method

Keywords: *Lattice Boltzmann method, Level Set method, free surface, multiphase flow*
(28 pages, 2008)

135. J. Orlik
Homogenization in elasto-plasticity

Keywords: *multiscale structures, asymptotic homogenization, nonlinear energy*
(40 pages, 2008)

136. J. Almquist, H. Schmidt, P. Lang, J. Deitmer, M. Jirstrand, D. Prätzel-Wolters, H. Becker
Determination of interaction between MCT1 and CAII via a mathematical and physiological approach

Keywords: *mathematical modeling; model reduction; electrophysiology; pH-sensitive microelectrodes; proton antenna*
(20 pages, 2008)

137. E. Savenkov, H. Andrä, O. Iliev
An analysis of one regularization approach for solution of pure Neumann problem

Keywords: *pure Neumann problem, elasticity, regularization, finite element method, condition number*
(27 pages, 2008)

138. O. Berman, J. Kalcsics, D. Krass, S. Nickel
The ordered gradual covering location problem on a network

Keywords: *gradual covering, ordered median function, network location*
(32 pages, 2008)

139. S. Gelareh, S. Nickel
Multi-period public transport design: A novel model and solution approaches

Keywords: *Integer programming, hub location, public transport, multi-period planning, heuristics*
(31 pages, 2008)

140. T. Melo, S. Nickel, F. Saldanha-da-Gama
Network design decisions in supply chain planning

Keywords: *supply chain design, integer programming models, location models, heuristics*
(20 pages, 2008)

141. C. Lautensack, A. Särkkä, J. Freitag, K. Schladitz
Anisotropy analysis of pressed point processes

Keywords: *estimation of compression, isotropy test, nearest neighbour distance, orientation analysis, polar ice, Ripley's K function*
(35 pages, 2008)

142. O. Iliev, R. Lazarov, J. Willems
A Graph-Laplacian approach for calculating the effective thermal conductivity of complicated fiber geometries

Keywords: *graph laplacian, effective heat conductivity, numerical upscaling, fibrous materials*
(14 pages, 2008)

143. J. Linn, T. Stephan, J. Carlsson, R. Bohlin
Fast simulation of quasistatic rod deformations for VR applications

Keywords: *quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients*
(7 pages, 2008)

144. J. Linn, T. Stephan
Simulation of quasistatic deformations using discrete rod models

Keywords: *quasistatic deformations, geometrically exact rod models, variational formulation, energy minimization, finite differences, nonlinear conjugate gradients*
(9 pages, 2008)

145. J. Marburger, N. Marheineke, R. Pinnau
Adjoint based optimal control using mesh-less discretizations

Keywords: *Mesh-less methods, particle methods, Eulerian-Lagrangian formulation, optimization strategies, adjoint method, hyperbolic equations*
(14 pages, 2008)

146. S. Desmettre, J. Gould, A. Szimayer
Own-company stockholding and work effort preferences of an unconstrained executive

Keywords: *optimal portfolio choice, executive compensation*
(33 pages, 2008)

147. M. Berger, M. Schröder, K.-H. Küfer
A constraint programming approach for the two-dimensional rectangular packing problem with orthogonal orientations

Keywords: *rectangular packing, orthogonal orientations non-overlapping constraints, constraint propagation*
(13 pages, 2008)

148. K. Schladitz, C. Redenbach, T. Sych, M. Godehardt

Microstructural characterisation of open foams using 3d images

Keywords: virtual material design, image analysis, open foams
(30 pages, 2008)

149. E. Fernández, J. Kalcsics, S. Nickel, R. Ríos-Mercado

A novel territory design model arising in the implementation of the WEEE-Directive

Keywords: heuristics, optimization, logistics, recycling
(28 pages, 2008)

150. H. Lang, J. Linn

Lagrangian field theory in space-time for geometrically exact Cosserat rods

Keywords: Cosserat rods, geometrically exact rods, small strain, large deformation, deformable bodies, Lagrangian field theory, variational calculus
(19 pages, 2009)

151. K. Dreßler, M. Speckert, R. Müller, Ch. Weber

Customer loads correlation in truck engineering

Keywords: Customer distribution, safety critical components, quantile estimation, Monte-Carlo methods
(11 pages, 2009)

152. H. Lang, K. Dreßler

An improved multiaxial stress-strain correction model for elastic FE postprocessing

Keywords: Jiang's model of elastoplasticity, stress-strain correction, parameter identification, automatic differentiation, least-squares optimization, Coleman-Li algorithm
(6 pages, 2009)

153. J. Kalcsics, S. Nickel, M. Schröder

A generic geometric approach to territory design and districting

Keywords: Territory design, districting, combinatorial optimization, heuristics, computational geometry
(32 pages, 2009)

154. Th. Fütterer, A. Klar, R. Wegener

An energy conserving numerical scheme for the dynamics of hyperelastic rods

Keywords: Cosserat rod, hyperealstic, energy conservation, finite differences
(16 pages, 2009)

155. A. Wiegmann, L. Cheng, E. Glatt, O. Iliev, S. Rief

Design of pleated filters by computer simulations

Keywords: Solid-gas separation, solid-liquid separation, pleated filter, design, simulation
(21 pages, 2009)

156. A. Klar, N. Marheineke, R. Wegener

Hierarchy of mathematical models for production processes of technical textiles

Keywords: Fiber-fluid interaction, slender-body theory, turbulence modeling, model reduction, stochastic differential equations, Fokker-Planck equation, asymptotic expansions, parameter identification
(21 pages, 2009)

157. E. Glatt, S. Rief, A. Wiegmann, M. Knefel, E. Wegenke

Structure and pressure drop of real and virtual metal wire meshes

Keywords: metal wire mesh, structure simulation, model calibration, CFD simulation, pressure loss
(7 pages, 2009)

158. S. Kruse, M. Müller

Pricing American call options under the assumption of stochastic dividends – An application of the Korn-Rogers model

Keywords: option pricing, American options, dividends, dividend discount model, Black-Scholes model
(22 pages, 2009)

159. H. Lang, J. Linn, M. Arnold

Multibody dynamics simulation of geometrically exact Cosserat rods

Keywords: flexible multibody dynamics, large deformations, finite rotations, constrained mechanical systems, structural dynamics
(20 pages, 2009)

160. P. Jung, S. Leyendecker, J. Linn, M. Ortiz

Discrete Lagrangian mechanics and geometrically exact Cosserat rods

Keywords: special Cosserat rods, Lagrangian mechanics, Noether's theorem, discrete mechanics, frame-indifference, holonomic constraints
(14 pages, 2009)

Status quo: May 2009